



US00D668207S

(12) **United States Design Patent**  
**Brown et al.**

(10) **Patent No.:** **US D668,207 S**

(45) **Date of Patent:** **\*\* Oct. 2, 2012**

(54) **TIRE TREAD**

(75) Inventors: **Jeffrey Paul Brown**, Greer, SC (US);  
**Gregg Haver**, Simpsonville, SC (US);  
**Kevin Ray Reim**, Simpsonville, SC  
(US); **Matthieu Bonardel**, Greenville,  
SC (US)

(73) Assignees: **Compagnie Generale des  
Etablissements Michelin**,  
Clermont-Ferrand (FR); **Michelin  
Recherche et Technique**,  
Granges-Paccot (CH)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/389,649**

(22) Filed: **Apr. 14, 2011**

(51) **LOC (9) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/588**

(58) **Field of Classification Search** ..... D12/568-603;  
152/209.1-209.28

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D381,605 S	7/1997	DellaGrotte	
D458,897 S *	6/2002	Weber et al.	D12/588
D497,876 S	11/2004	Williams	
D606,930 S *	12/2009	Taylor et al.	D12/585
D624,009 S *	9/2010	Vandaele et al.	D12/585
D625,248 S	10/2010	Christenbury et al.	
D625,249 S	10/2010	Christenbury et al.	
D649,110 S *	11/2011	Hutz et al.	D12/601
D651,558 S *	1/2012	Youn	D12/588

**OTHER PUBLICATIONS**

Michelin Tire, Primacy MXV4, <http://www.michelinman.com>, at least as early as Mar. 22, 2011.

Michelin Tire, Pilot MXM4, <http://www.michelinman.com>, at least as early as Mar. 22, 2011.

Michelin Tire, Primary MXM4, <http://www.michelinman.com>, at least as early as Mar. 22, 2011.

Michelin Tire, Energy MXV4 S8, <http://www.michelinman.com>, at least as early as Mar. 22, 2011.

\* cited by examiner

*Primary Examiner* — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Dority & Manning, P.A.

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the tread pattern repeats circumferentially throughout the outer circumference and shoulder of the tire, the opposite side perspective being identical thereto;

FIG. 2 is a front elevation view thereof;


FIG. 3 is a side elevation view of the right side thereof; and, FIG. 4 is a side elevation view of the left side thereof.

In the drawings, the dark stippled surface shading represents the recessed groove portions of the tire tread having a depth as best illustrated along the top and bottom edges of FIG. 2. In the drawings, the broken line disclosure of the tire sidewall and inner bead depicts environmental structure and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**









*FIG. -1-*






*FIG. -2-*





*FIG. -3-*



*FIG. -4-*