

US00D668378S

(12) **United States Design Patent**  
**Cai**

(10) **Patent No.:** **US D668,378 S**  
(45) **Date of Patent:** **\*\* Oct. 2, 2012**

(54) **LED REFLECTOR**

(75) Inventor: **Yimei Cai**, Ningbo (CN)

(73) Assignee: **Ningbo Yinzhou Self Photoelectron Technology Co., Ltd.**, Ningbo (CN)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/399,936**

(22) Filed: **Aug. 22, 2011**

(51) **LOC (9) Cl.** ..... **26-99**

(52) **U.S. Cl.** ..... **D26/122**

(58) **Field of Classification Search** ..... D26/113,  
D26/71, 72, 73, 74, 75, 76, 78, 122, 121,  
D26/120, 119, 118, 1, 80, 86, 87, 88, 89,  
D26/90, 35, 36, 85, 62, 61, 63, 64, 65, 66,  
D26/67, 68, 28, 31, 24, 25, 26, 60, 103, 104,  
D26/105, 106, 109, 110, 93, 138, 140, 141,  
D26/142, 143, 144, 145, 152, 153, 154, 155,  
D26/41, 42, 51, 52, 50, 37, 128, 123, 124,  
D26/125, 131, 134, 135, 136, 2, 3; D13/179,  
D13/180; D8/354, 382, 373, 377; 362/373,  
362/294.02, 218, 510, 516, 410, 183, 396,  
362/130, 190, 249.07, 249.09, 249.1, 249.11,  
362/285, 413, 287, 220, 418, 419, 92, 249.08,  
362/205, 184, 260, 399, 398, 397, 258, 374,  
362/375, 216, 558, 561, 354, 249.06, 249.05,  
362/132, 133, 249.03, 223, 241, 345, 327,  
362/217.05, 247, 224, 297; 52/455; D25/124,  
D25/125, 60, 119; 349/113, 61, 59, 60, 62,  
349/64, 65, 67, 66; 248/558, 339, 557; 438/15;  
345/102; D12/406; D10/114.1, 111; D11/145,  
D11/144, 125, 121; 428/11; 257/96, 97,  
257/98, 99

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

982,823 A \* 1/1911 Jennings ..... 362/341  
2,242,525 A \* 5/1941 Kirlin ..... 362/373

D223,634 S \* 5/1972 Cibie ..... D26/35  
4,194,234 A \* 3/1980 Geissler ..... 362/17  
4,569,002 A \* 2/1986 English et al. .... 362/543  
4,807,094 A \* 2/1989 Mateos et al. .... 362/510  
D312,842 S \* 12/1990 Younger et al. .... D20/42  
5,010,458 A \* 4/1991 Fraizer ..... 362/516  
D386,801 S \* 11/1997 Orgovan ..... D26/31  
D387,450 S \* 12/1997 Lyons ..... D26/28  
5,785,413 A \* 7/1998 Tillinghast et al. .... 362/228  
D399,325 S \* 10/1998 Lyons et al. .... D26/28  
D402,576 S \* 12/1998 Yang et al. .... D10/111  
6,467,934 B1 \* 10/2002 Holten et al. .... 362/298  
6,705,746 B2 \* 3/2004 Perlo et al. .... 362/290  
D492,438 S \* 6/2004 O'Tierney ..... D26/80  
6,793,368 B2 \* 9/2004 Ladstatter ..... 362/221  
D530,437 S \* 10/2006 Neufeglise et al. .... D26/28  
D574,437 S \* 8/2008 Green ..... D20/10  
D581,084 S \* 11/2008 Kawaguchi et al. .... D26/74  
7,465,070 B2 \* 12/2008 Engel ..... 362/297  
D597,705 S \* 8/2009 Mitani et al. .... D26/122  
D600,584 S \* 9/2009 Lyons ..... D10/114.1  
D602,624 S \* 10/2009 Kawaguchi et al. .... D26/74  
D615,696 S \* 5/2010 Hecht ..... D26/122  
D618,572 S \* 6/2010 Shin ..... D10/114.1  
D627,672 S \* 11/2010 Shin ..... D10/114.1  
D629,139 S \* 12/2010 Cai et al. .... D26/72  
D632,421 S \* 2/2011 Vukosic et al. .... D26/124  
D647,239 S \* 10/2011 Beghelli ..... D26/74

\* cited by examiner

*Primary Examiner* — Kevin Rudzinski


(57) **CLAIM**

The ornamental design for a LED reflector, as shown.

**DESCRIPTION**

FIG. 1 is a top plan view of a LED reflector showing my new design;  
FIG. 2 is a bottom plan view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a back elevational view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof; and,  
FIG. 7 is a perspective view thereof.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3






FIG. 4



**FIG. 5**



**FIG. 6**




FIG. 7