

US00D668393S

(12) **United States Design Patent**
Hogbin

(10) **Patent No.:** **US D668,393 S**
(45) **Date of Patent:** **** Oct. 2, 2012**

(54) **SAFETY HARNESS**

(76) **Inventor:** **James Hogbin**, Horsted Keynes (GB)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/379,608**

(22) **Filed:** **Nov. 22, 2010**

(30) **Foreign Application Priority Data**

May 20, 2010 (EM) 001710005-0001

(51) **LOC (9) Cl.** **29-03**

(52) **U.S. Cl.** **D29/101.1**

(58) **Field of Classification Search** D29/100,
D29/101.1-101.4, 122; D2/626, 628, 629;
D3/215, 218, 219, 221, 226; D24/190; 359/362,
359/519; 182/3; 2/300, 310; D10/111; 224/259,
224/576, 603, 606, 623, 627, 647

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D248,596	S	*	7/1978	Neyman	D29/101.1
D490,938	S	*	6/2004	Wydner	D29/101.1
D608,950	S	*	1/2010	Kelly et al.	D29/101.3
D641,524	S	*	7/2011	Graham et al.	D29/101.4

* cited by examiner

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Barbara B Lohr

(74) *Attorney, Agent, or Firm* — Westman, Champlin & Kelly, P.A.; Z. Peter Sawicki


(57) **CLAIM**

The ornamental design for a safety harness, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the safety harness.
FIG. 2 is a front view of the safety harness.
FIG. 3 is a back view of the safety harness.
FIG. 4 is a left side view of the safety harness.
FIG. 5 is a left side view of the safety harness.
FIG. 6 is a top view of the safety harness.
FIG. 7 is a bottom view of the safety harness; and,
FIG. 8 is a view of the safety harness outspread.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8