



US00D668552S

(12) **United States Design Patent**  
**Wisniewski**

(10) **Patent No.:** **US D668,552 S**  
(45) **Date of Patent:** **\*\* Oct. 9, 2012**

(54) **LIQUID PRODUCT PUMP DISPENSER**

(75) Inventor: **Alan Wisniewski**, Stouffville (CA)

(73) Assignee: **Umbra LLC**, Buffalo, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/408,595**

(22) Filed: **Dec. 14, 2011**

(51) **LOC (9) Cl.** ..... **09-01**

(52) **U.S. Cl.** ..... **D9/689**

(58) **Field of Classification Search** ..... D9/682-694,  
D9/715, 719, 723-729, 500-505, 643-347,  
D9/516-575, 434-454; D28/5, 76, 77, 91.1;  
222/211, 212, 213, 215, 321.7, 321.9, 372,  
222/373, 378, 379, 383.1, 384-386, 398,  
222/400.7, 400.8, 401, 402.1-402.25; 215/379-385;  
220/662, 665, 669-675; D6/542  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D140,111 S *	1/1945	Bau	.....	D9/689
D214,829 S *	8/1969	Muscatiello	.....	D9/689
D220,083 S *	3/1971	Tucker	.....	D9/574
D230,954 S *	3/1974	Gregoriotti	.....	D9/504
D236,880 S *	9/1975	Sway	.....	D9/525
D240,829 S	8/1976	Jones et al.		
4,139,124 A *	2/1979	Ferrante	.....	222/110
D306,965 S	4/1990	Jaworski		
D326,053 S *	5/1992	Waine et al.	.....	D9/529
D328,025 S *	7/1992	Farricielli	.....	D9/691
D405,997 S	2/1999	Mahlmann		
D411,749 S *	6/1999	Nahum-Albright	.....	D9/529
D426,093 S	6/2000	Cayouette		
D442,031 S *	5/2001	Perez	.....	D7/628

D465,149 S	11/2002	Bennett et al.		
D486,335 S	2/2004	Sonneman		
D487,696 S	3/2004	Sonneman		
D497,795 S *	11/2004	Fling et al.	.....	D9/692
D530,221 S	10/2006	Paglina		
7,201,291 B2 *	4/2007	Vigny et al.	.....	222/107
D554,409 S	11/2007	Scorgie		
D563,703 S	3/2008	Duncan		
D599,215 S *	9/2009	Mulhauser et al.	.....	D9/724
D604,544 S	11/2009	Daams		
D625,538 S	10/2010	Lorenzatti		
D641,192 S	7/2011	Wisniewski		

**FOREIGN PATENT DOCUMENTS**

EM	000310933-0003	*	5/2005
KR	300528951.0000	*	5/2009
KR	300553323.0000	*	2/2010
KR	300582171.0000	*	12/2010
WO	D050363-006	*	3/2000

\* cited by examiner

*Primary Examiner* — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — Simpson & Simpson, PLLC



(57) **CLAIM**

The ornamental design for a liquid product pump dispenser, as shown and described.

**DESCRIPTION**

FIG. 1 is a top front perspective view of the liquid product pump dispenser showing my new design; FIG. 2 is a right side elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.

**1 Claim, 7 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6






Fig. 7



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D668,552 S  
APPLICATION NO. : 29/408595  
DATED : October 9, 2012  
INVENTOR(S) : Alan Wisniewski

Page 1 of 9

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page should be deleted and substitute therefor the attached title page.

In the Drawings:

Delete Figs. 1-7 and substitute therefor Figs. 1-7 as shown on the attached pages.

Signed and Sealed this  
Twenty-fifth Day of November, 2014



Michelle K. Lee  
*Deputy Director of the United States Patent and Trademark Office*

(12) **United States Design Patent**  
**Wisniewski**

(10) **Patent No.:** **US D668,552 S**  
(45) **Date of Patent:** **\*\* Oct. 9, 2012**

(54) **LIQUID PRODUCT PUMP DISPENSER**  
(75) **Inventor:** Alan Wisniewski, Stouffville (CA)  
(73) **Assignee:** Umbra LLC, Buffalo, NY (US)  
(\*\*) **Term:** 14 Years  
(21) **Appl. No.:** 29/408,595  
(22) **Filed:** Dec. 14, 2011  
(51) **LOC (9) Cl.** ..... 09-01  
(52) **U.S. Cl.** ..... D9/689  
(58) **Field of Classification Search** ..... D9/682-694,  
D9/715, 719, 723-729, 500-505, 643-347,  
D9/516-575, 434-454; D28/5, 76, 77, 91.1;  
222/211, 212, 213, 215, 321.7, 321.9, 372,  
222/373, 378, 379, 383.1, 384-386, 398,  
222/400.7, 400.8, 401, 402.1-402.25; 215/379-385;  
220/662, 665, 669-675; D6/542  
See application file for complete search history.

D465,149 S	11/2002	Bennett et al.	
D486,335 S	2/2004	Sonneman	
D487,696 S	3/2004	Sonneman	
D497,795 S *	11/2004	Fling et al.	D9/692
D530,221 S	10/2006	Paglina	
7,201,291 B2 *	4/2007	Vigny et al.	222/107
D554,409 S	11/2007	Scorgie	
D563,703 S	3/2008	Duncan	
D599,215 S *	9/2009	Mulhauser et al.	D9/724
D604,544 S	11/2009	Daams	
D625,538 S	10/2010	Lorenzatti	
D641,192 S	7/2011	Wisniewski	

**FOREIGN PATENT DOCUMENTS**

EM	000310933-0003	* 5/2005
KR	300528951.0000	* 5/2009
KR	300553323.0000	* 2/2010
KR	300582171.0000	* 12/2010
WO	D050363-006	* 3/2000

\* cited by examiner

*Primary Examiner* — Catherine Tuttle  
(74) *Attorney, Agent, or Firm* — Simpson & Simpson, PLLC

(56) **References Cited**

**U.S. PATENT DOCUMENTS**



D140,111 S *	1/1945	Bau	D9/689
D214,829 S *	8/1969	Muscatiello	D9/689
D220,083 S *	3/1971	Tucker	D9/574
D230,954 S *	3/1974	Gregoriotti	D9/504
D236,880 S *	9/1975	Sway	D9/525
D240,829 S	8/1976	Jones et al.	
4,139,124 A *	2/1979	Ferrante	222/110
D306,965 S	4/1990	Jaworski	
D326,053 S *	5/1992	Waine et al.	D9/529
D328,025 S *	7/1992	Farricelli	D9/691
D405,997 S	2/1999	Mahlmann	
D411,749 S *	6/1999	Nahum-Albright	D9/529
D426,093 S	6/2000	Cayouette	
D442,031 S *	5/2001	Perez	D7/628

(57) **CLAIM**  
The ornamental design for a liquid product pump dispenser, as shown and described.

**DESCRIPTION**

FIG. 1 is a top front perspective view of the liquid product pump dispenser showing my new design; FIG. 2 is a right side elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.

**1 Claim, 7 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5






Fig. 6




Fig. 7

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D668,552 S  
APPLICATION NO. : 29/408595  
DATED : October 9, 2012  
INVENTOR(S) : Alan Wisniewski

Page 1 of 9

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

This certificate supersedes the Certificate of Correction issued on November 25, 2014. The certificate which issued on November 25, 2014 is vacated because the drawings (filed on March 28, 2014) which appear on the certificate were not approved by the examiner. The Certificate of Correction which issued on November 25, 2014 was published in error and should not have been issued for this patent.

Title page should be deleted and substitute therefor the attached title page.

In the Drawings:

Delete Figs. 1-7 and substitute therefor Figs. 1-7 as shown on the attached pages.

Signed and Sealed this  
Third Day of March, 2015



Michelle K. Lee  
*Deputy Director of the United States Patent and Trademark Office*

(12) **United States Design Patent**  
**Wisniewski**

(10) **Patent No.:** **US D668,552 S**  
(45) **Date of Patent:** **\*\* Oct. 9, 2012**

(54) **LIQUID PRODUCT PUMP DISPENSER**

(75) **Inventor:** Alan Wisniewski, Stouffville (CA)

(73) **Assignee:** Umbra LLC, Buffalo, NY (US)

(\*\*) **Term:** 14 Years

(21) **Appl. No.:** 29/408,595

(22) **Filed:** Dec. 14, 2011

(51) **LOC (9) CL.** 09-01

(52) **U.S. CL.** D9/689

(58) **Field of Classification Search** D9/682-694,  
D9/715, 719, 723, 729, 500, 505, 643, 347,  
D9/516-575, 434-454; D28/5, 76, 77, 91.1;  
222/211, 212, 213, 215, 321.7, 321.9, 372,  
222/373, 378, 379, 383.1, 384-386, 398,  
222/400.7, 400.8, 401, 402.1-402.25; 215/379-385;  
220/662, 665, 669-675; D6/542  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D140,111 S *	1/1945	Bau	D9:689
D214,829 S *	8/1969	Muscariello	D9:689
D220,083 S *	3/1971	Tucker	D9:574
D230,954 S *	3/1974	Gregoriotti	D9:504
D236,880 S *	9/1975	Sway	D9:525
D240,829 S	8/1976	Jones et al.	
4,139,124 A *	2/1979	Ferrante	222:110
D306,965 S	4/1990	Jaworski	
D326,053 S *	5/1992	Waine et al.	D9:529
D328,025 S *	7/1992	Farricelli	D9:691
D405,997 S	2/1999	Mahlmann	
D411,749 S *	6/1999	Nahum-Albright	D9:529
D426,093 S	6/2000	Cayouette	
D442,031 S *	5/2001	Perez	D7:628

D465,149 S	11/2002	Bennett et al.	
D486,335 S	2/2004	Sonneman	
D487,696 S	3/2004	Sonneman	
D497,795 S *	11/2004	Fling et al.	D9:692
D530,221 S	10/2006	Paglina	
7,201,291 B2 *	4/2007	Vigny et al.	222:107
D554,409 S	11/2007	Scorgie	
D563,703 S	3/2008	Duncan	
D599,215 S *	9/2009	Mulhauser et al.	D9:724
D604,544 S	11/2009	Daams	
D625,538 S	10/2010	Lorenzatti	
D641,192 S	7/2011	Wisniewski	

**FOREIGN PATENT DOCUMENTS**

EM	000310933-0003	*	5/2005
KR	300528951.0000	*	5/2009
KR	300553323.0000	*	2/2010
KR	300582171.0000	*	12/2010
WO	D050363-006	*	3/2000

\* cited by examiner

*Primary Examiner* — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — Simpson & Simpson, PLLC



(57) **CLAIM**

The ornamental design for a liquid product pump dispenser, as shown and described.

**DESCRIPTION**

FIG. 1 is a top front perspective view of the liquid product pump dispenser showing my new design; FIG. 2 is a right side elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.

**1 Claim, 7 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3






Fig. 4




Fig. 5




Fig. 6




Fig. 7