



US00D668567S

(12) **United States Design Patent**  
**Dunkin et al.**

(10) **Patent No.:** **US D668,567 S**  
(45) **Date of Patent:** **\*\* Oct. 9, 2012**

(54) **DISPLAY HOUSING FOR HANDHELD INSPECTION DEVICE**

2009/0109283 A1\* 4/2009 Scott et al. .... 348/65  
2009/0322867 A1\* 12/2009 Carrey et al. .... 348/77  
2010/0033563 A1\* 2/2010 Boehnlein et al. .... 348/84

(75) Inventors: **Jon R. Dunkin**, Elyria, OH (US);  
**Edward A. McKiernan**, Avon, OH (US);  
**Sarah A. Golish**, Westlake, OH (US);  
**Christopher L. Lane**, Lakewood, OH (US)

**OTHER PUBLICATIONS**

“IR Thermometer MicroRay IR-100 Non-Contact Infrared Thermometer” RIGID [Catalog], Ridge Tool Company, a subsidiary of Emerson, part of Emerson Professional Tools™, © 2008 RIDGID, Inc., p. 7.20.

(73) Assignee: **Emerson Electric Co.**, St. Louis, MO (US)

“Micro CG-100™ Combustible Gas Sniffer” RIGID [Catalog], Ridge Tool Company, a subsidiary of Emerson, part of Emerson Professional Tools™, © 2008 RIDGID, Inc., p. 7.21.

(\*\*) Term: **14 Years**

“SeeSnake® micro™ Inspection Camera”, RIGID [Catalog], Ridge Tool Company, a subsidiary of Emerson, part of Emerson Professional Tools™, © 2008 RIDGID, Inc., pp. 11.14 and 11.15.

(21) Appl. No.: **29/391,463**

\* cited by examiner

(22) Filed: **May 9, 2011**

*Primary Examiner* — Antoine D Davis

(51) **LOC (9) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/78; D10/104**

(58) **Field of Classification Search** ..... **D10/78,**

**D10/104, 46; D16/202; 250/208.1, 330, 250/336.1, 338.1, 339.03, 395, 256; 348/65–68, 348/77, 141, 84, 45, 74; 362/1, 109, 294, 362/373, 399; 713/176; 324/329, 67, 326; 73/623, 865.8, 151; 356/241, 237, 378; 15/324, 15/339; 385/116, 117; 29/729, 592.1, 593; 439/585, 587, 588, 589; 600/109, 129, 131, 600/175, 177; D24/133, 138**

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a display housing for a handheld inspection device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an exemplary handheld inspection device that embodies a display housing in accordance with the principles of the present design;  
FIG. 2 is a front perspective view of a first embodiment of the display housing for a handheld inspection device;  
FIG. 3 is a front view of the first embodiment of the display housing for a handheld inspection device;  
FIG. 4 is a rear view of the first embodiment of the display housing for a handheld inspection device;  
FIG. 5 is a top view of the first embodiment of the display housing for a handheld inspection device;  
FIG. 6 is a bottom view of the first embodiment of the display housing for a handheld inspection device;  
FIG. 7 is a first side view of the first embodiment of the display housing for a handheld inspection device;  
FIG. 8 is a second side view of the first embodiment of the display housing for a handheld inspection device;  
FIG. 9 is a front perspective view of a second embodiment of the display housing for a handheld inspection device;

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,373,317 A \* 12/1994 Salvati et al. .... 348/65  
D559,386 S 1/2008 Pease et al.  
D560,804 S 1/2008 Pease et al.  
7,758,495 B2 \* 7/2010 Pease et al. .... 600/104  
D621,732 S \* 8/2010 Whitcomb et al. .... D10/78  
7,767,963 B1 \* 8/2010 Fujii ..... 250/330  
7,902,990 B2 \* 3/2011 Delmonico et al. .... 340/636.1  
D641,270 S \* 7/2011 Whitcomb et al. .... D10/78  
8,033,993 B2 \* 10/2011 Amano et al. .... 600/160  
8,079,951 B2 \* 12/2011 Yokota ..... 600/120  
8,118,733 B2 \* 2/2012 Scott et al. .... 600/130  
8,142,346 B2 \* 3/2012 Shoroji et al. .... 600/110  
8,182,416 B1 \* 5/2012 Hosaka et al. .... 600/131




FIG. **10** is a front view of the second embodiment of the display housing for a handheld inspection device;  
FIG. **11** is a rear view of the second embodiment of the display housing for a handheld inspection device;  
FIG. **12** is a top view of the second embodiment of the display housing for a handheld inspection device;  
FIG. **13** is a bottom view of the second embodiment of the display housing for a handheld inspection device;  
FIG. **14** is a first side view of the second embodiment of the display housing for a handheld inspection device;  
FIG. **15** is a second side view of the second embodiment of the display housing for a handheld inspection device;  
FIG. **16** is a front perspective view of a third embodiment of the display housing for a handheld inspection device;  
FIG. **17** is a front view of the third embodiment of the display housing for a handheld inspection device;

FIG. **18** is a rear view of the third embodiment of the display housing for a handheld inspection device;  
FIG. **19** is a top view of the third embodiment of the display housing for a handheld inspection device;  
FIG. **20** is a bottom view of the third embodiment of the display housing for a handheld inspection device;  
FIG. **21** is a first side view of the third embodiment of the display housing for a handheld inspection device; and,  
FIG. **22** is a second side view of the third embodiment of the display housing for a handheld inspection device. It is to be understood that the broken lines shown throughout the drawings are for illustrative purposes only and form no part of the present design.

**1 Claim, 19 Drawing Sheets**




Fig-1






Fig-2




Fig-3






Fig-4




Fig-6





Fig-5








Fig-8




Fig-9






Fig-10




Fig-11






Fig-12




Fig-13




Fig-14






Fig-15




Fig-16






Fig-17




Fig-18






Fig-20




Fig-19




Fig-21






Fig-22