



US00D668596S

(12) **United States Design Patent**
Leahy

(10) **Patent No.:** **US D668,596 S**
(45) **Date of Patent:** **** Oct. 9, 2012**

- (54) **AUTOMOTIVE CHARGE INDICATOR**
- (75) Inventor: **Andrew Leahy**, Laguna Niguel, CA (US)
- (73) Assignee: **Fisker Automotive, Inc.**, Irvine, CA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/384,049**
- (22) Filed: **Jan. 26, 2011**

| | | | | |
|--------------|---------|---------------|-------|---------|
| D608,262 S * | 1/2010 | Truebsbach | | D12/190 |
| D609,149 S * | 2/2010 | Larson et al. | | D12/181 |
| D612,768 S | 3/2010 | Fisker et al. | | |
| D620,412 S | 7/2010 | Beigel et al. | | |
| D627,279 S | 11/2010 | Fisker et al. | | |
| D630,143 S * | 1/2011 | Stahel et al. | | D12/195 |
| D631,795 S | 2/2011 | Fisker et al. | | |
| D631,806 S * | 2/2011 | Schneider | | D12/190 |
| D631,807 S * | 2/2011 | Clottu | | D12/190 |
| D636,712 S * | 4/2011 | Shymkiw | | D12/190 |
| D639,219 S | 6/2011 | Fisker et al. | | |

(Continued)

Related U.S. Application Data

- (62) Division of application No. 29/330,613, filed on Jan. 9, 2009, now Pat. No. Des. 631,795.
- (51) **LOC (9) Cl.** **12-08**
- (52) **U.S. Cl.** **D12/190**
- (58) **Field of Classification Search** D12/190, D12/400, 90, 91, 92, 199, 197, 86, 171, 169, D12/163, 110, 114; D11/211, 81, 157, 133, D11/172; D20/11, 23, 24, 25, 30, 31, 32; 293/102, 115; 40/413, 591, 592; 428/31
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|------------------|-------|---------|
| D379,170 S * | 5/1997 | Moore et al. | | D12/190 |
| D389,438 S | 1/1998 | Guichard et al. | | |
| D400,839 S * | 11/1998 | Moore et al. | | D12/190 |
| D403,998 S * | 1/1999 | Hutzet et al. | | D12/190 |
| D447,459 S * | 9/2001 | Oh | | D12/196 |
| D523,778 S | 6/2006 | Saridakis et al. | | |
| D539,703 S | 4/2007 | Woodhouse et al. | | |
| D540,228 S * | 4/2007 | Lai | | D12/190 |
| D545,258 S * | 6/2007 | Teng et al. | | D12/190 |
| D553,053 S | 10/2007 | McChesney et al. | | |
| D555,042 S | 11/2007 | Davidson et al. | | |
| D563,277 S | 3/2008 | Thomas et al. | | |
| D566,022 S * | 4/2008 | Johnson | | D12/190 |

OTHER PUBLICATIONS

Notice of Allowance in U.S. Appl. No. 29/383,992 dated Mar. 14, 2012.

(Continued)

Primary Examiner — Caron D Veynar
Assistant Examiner — Katrina A Betton
(74) *Attorney, Agent, or Firm* — Foley & Lardner LLP


CLAIM

(57) The ornamental design for an automotive charge indicator, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an automotive charge indicator shown on the left side of a vehicle in broken lines; FIG. 2 is a front elevational view; FIG. 3 is a front elevational view with partial stippling representing illumination of the charge indicator; FIG. 4 is a front elevational view with stippling representing full illumination of the charge indicator; and, FIG. 5 is a front perspective view of another embodiment thereof. The vehicle shown in broken lines is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D668,596 S

Page 2

U.S. PATENT DOCUMENTS

D639,712 S 6/2011 Kerr et al.
D657,894 S 4/2012 Frenzel et al.
D658,320 S 4/2012 Goplen
D658,793 S 5/2012 Kato et al.

OTHER PUBLICATIONS

Office Action in U.S. Appl. No. 29/384,296 dated May 10, 2012.

* cited by examiner




FIG-1




FIG-2




FIG-3




FIG - 4




FIG. 5