

US00D668601S

(12) **United States Design Patent**
Brown, IV et al.

(10) **Patent No.:** **US D668,601 S**
(45) **Date of Patent:** **** Oct. 9, 2012**

(54) **TIRE TREAD**

(75) Inventors: **Joseph N. Brown, IV**, Simpsonville, SC
(US); **Florent Lemaitre**, Greer, SC
(US); **Shengyi Wang**, Greenville, SC
(US)

(73) Assignees: **Compagnie Generale des
Etablissements Michelin**,
Clermont-Ferrand (FR); **Michelin
Recherche et Technique**,
Granges-Paccot (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/393,718**

(22) Filed: **Jun. 8, 2011**

(51) **LOC (9) Cl.** **12-16**

(52) **U.S. Cl.** **D12/588**

(58) **Field of Classification Search** D12/568–603;
152/209.1–209.28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D421,584 S	3/2000	Lovell et al.	
D605,580 S *	12/2009	Williams	D12/589
D609,170 S *	2/2010	Feider et al.	D12/588
D639,234 S *	6/2011	Reim	D12/588

FOREIGN PATENT DOCUMENTS

DM 048639 7/1999

OTHER PUBLICATIONS

Michelin “Energy Saver A/S” tire, www.michelinman.com, at least as early as May 5, 2011, 3 pages.

* cited by examiner

Primary Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Dority & Manning, P.A.

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION



FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the tread pattern repeats circumferentially throughout the outer circumference and shoulder of the tire, the opposite side perspective being identical thereto;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a side elevation view of the right side thereof; and, FIG. 4 is a side elevation view of the left side thereof.

In the drawings, the broken line disclosure of the tire sidewall and inner bead depicts the context of the design and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3