



US00D668605S

(12) **United States Design Patent**
Park

(10) **Patent No.:** **US D668,605 S**

(45) **Date of Patent:** **** Oct. 9, 2012**

(54) **CONTACTLESS CHARGER**

(75) Inventor: **Jun-Sang Park**, Anyang-si (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.** (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/417,748**

(22) Filed: **Apr. 9, 2012**

(30) **Foreign Application Priority Data**

Oct. 14, 2011 (KR) 30-2011-0042816

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.** **D13/108**

(58) **Field of Classification Search** D13/107-110,
D13/118-119, 184; D14/251, 253, 432,
D14/434; 320/107-115

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|----------------|-------|---------|
| D393,451 S * | 4/1998 | Faranda et al. | | D14/434 |
| D484,095 S * | 12/2003 | Stacey | | D13/110 |
| D578,961 S * | 10/2008 | Fisher et al. | | D13/108 |
| D611,898 S * | 3/2010 | Yang | | D13/108 |
| D611,900 S * | 3/2010 | Yang | | D13/108 |
| D623,133 S * | 9/2010 | Nomi et al. | | D13/108 |
| D630,163 S * | 1/2011 | Yeh | | D13/108 |
| D631,051 S * | 1/2011 | DeFronzo | | D14/434 |
| D633,437 S * | 3/2011 | Chilton et al. | | D13/108 |
| D636,724 S * | 4/2011 | Nomi et al. | | D13/108 |
| D637,951 S * | 5/2011 | Perez | | D13/108 |
| D638,020 S * | 5/2011 | Johnson et al. | | D14/434 |

| | | | | |
|-------------------|---------|-----------------|-------|---------|
| D640,973 S * | 7/2011 | Katsaros | | D13/102 |
| D644,989 S * | 9/2011 | Guccione et al. | | D13/108 |
| D656,097 S * | 3/2012 | Nomi et al. | | D13/108 |
| 2006/0043927 A1 * | 3/2006 | Beart et al. | | 320/108 |
| 2009/0184679 A1 * | 7/2009 | Yeh | | 320/108 |
| 2011/0241607 A1 * | 10/2011 | Wieggers | | 320/108 |
| 2011/0266997 A1 * | 11/2011 | Krancher et al. | | 320/107 |

* cited by examiner

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — NSIP Law

(57) **CLAIM**

The ornamental design for a contactless charger, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a contactless charger; FIG. 2 is a front view of the contactless charger of FIG. 1; FIG. 3 is a rear view of the contactless charger of FIG. 1; FIG. 4 is a left-side view of the contactless charger of FIG. 1; FIG. 5 is a right-side view of the contactless charger of FIG. 1; FIG. 6 is a top plan view of the contactless charger of FIG. 1; FIG. 7 is a bottom plan view of the contactless charger of FIG. 1; FIG. 8 is a perspective view of the contactless charger, wherein mobile terminals provided in broken lines is shown to illustrate an example environment. The mobile terminals provided in broken lines form no part of the claimed design; and, FIG. 9 is a perspective view of the contactless charger, viewed from the direction opposite of the view of FIG. 1.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

