



US00D668735S

(12) **United States Design Patent**  
**Steckelberg**

(10) **Patent No.:** **US D668,735 S**

(45) **Date of Patent:** **\*\* Oct. 9, 2012**

(54) **CASTABLE UMBRELLA RIG WITH INTERCHANGEABLE WIRE HARNESS**

(76) Inventor: **Richard M. Steckelberg**, Eastanollee, GA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/407,308**

(22) Filed: **Nov. 28, 2011**

(51) **LOC (9) Cl.** ..... **22-05**

(52) **U.S. Cl.** ..... **D22/129**

(58) **Field of Classification Search** ..... D22/126-134, D22/144; 43/42.37, 42.39, 42.22, 42.53, 43/42.5, 42.47, 42.26, 42.28, 57

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,190,029	A	4/1963	Bondi	
3,744,178	A	7/1973	Denny	
D253,486	S	* 11/1979	Wigutow	..... D22/128
D271,232	S	11/1983	Cole	
D274,081	S	5/1984	Smith	
4,621,448	A	11/1986	Pennise	
4,850,132	A	7/1989	Motyka	
4,893,432	A	1/1990	Rosengrant	
4,920,687	A	5/1990	Barnett	
5,222,317	A	6/1993	Georgescu	
5,231,789	A	* 8/1993	Radmanovich	..... 43/57
D346,200	S	* 4/1994	Hildebrandt et al.	..... D22/128
5,339,559	A	* 8/1994	Strobbe	..... 43/42.37
D364,444	S	11/1995	DeCosta	
5,797,209	A	8/1998	Nicholas	
5,881,490	A	3/1999	Richardson	
D408,883	S	* 4/1999	Snyder	..... D22/126

6,000,166	A	12/1999	Kirkpatrick
2005/0050790	A1	3/2005	Higgins
2008/0040966	A1	2/2008	Stone et al.
2010/0175303	A1	7/2010	Caison
2012/0073182	A1	3/2012	Poss

**OTHER PUBLICATIONS**

Photograph of "Alabama Rig" publicly known prior to Nov. 28, 2011.  
Photograph of head of "Alabama Rig" publicly known prior to Nov. 28, 2011.

Chesapeake Bay Lures Maryland Style Umbrella Rig, cited in U.S. Appl. No. 13/030,014 as "[online], [retrieved on Oct. 11, 2010], Retrieved from Bass Pro Shops website using Internet <URL: http://www.basspro.com/.../-1131849>".

\* cited by examiner

*Primary Examiner* — Catheri Oliver

(74) *Attorney, Agent, or Firm* — Taylor English Duma LLP

(57) **CLAIM**

I claim the ornamental design for a castable umbrella rig with interchangeable wire harness, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a castable umbrella rig with interchangeable wire harness of the design described herein.

FIG. 2 is a left side view thereof.

FIG. 3 is a right side view thereof.

FIG. 4 is a front view thereof.


FIG. 5 is a rear view thereof.

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

Portions of the lure are shown broken away to indicate indeterminate length.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7