

US00D668876S

(12) **United States Design Patent**  
**Tice**

(10) **Patent No.:** **US D668,876 S**

(45) **Date of Patent:** **\*\* Oct. 16, 2012**

(54) **DRILL BIT HOLDER**

(75) Inventor: **David Edward Tice**, Tallmadge, OH  
(US)

(73) Assignee: **David Edward Tice**, Tallmadge, OH  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/370,954**

(22) Filed: **Mar. 21, 2011**

(51) **LOC (9) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/302; D3/316; D3/905**

(58) **Field of Classification Search** ..... **D3/273,**  
**D3/300, 302, 905, 316; D9/503-504; 206/349,**  
**206/372-379; 220/523, 527; D28/85-90**  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |     |         |              |       |         |
|-----------|-----|---------|--------------|-------|---------|
| 3,844,459 | A * | 10/1974 | Chambers     | ..... | 224/274 |
| D249,591  | S * | 9/1978  | Mijares, Jr. | ..... | D28/65  |
| 4,600,111 | A * | 7/1986  | Brown        | ..... | 215/6   |
| D288,985  | S * | 3/1987  | Ali et al.   | ..... | D3/300  |
| D353,044  | S * | 12/1994 | Riley        | ..... | D3/228  |

|              |      |         |                  |       |         |
|--------------|------|---------|------------------|-------|---------|
| 5,474,182    | A *  | 12/1995 | Reney            | ..... | 206/379 |
| D456,990     | S *  | 5/2002  | Lusty            | ..... | D3/228  |
| D532,714     | S *  | 11/2006 | Scharr           | ..... | D11/79  |
| D551,862     | S *  | 10/2007 | Gerry            | ..... | D3/302  |
| D587,762     | S *  | 3/2009  | Zeyfang          | ..... | D20/42  |
| D624,314     | S *  | 9/2010  | Baptiste et al.  | ..... | D3/276  |
| 7,789,229    | B2 * | 9/2010  | Frakes           | ..... | 206/350 |
| 2008/0302689 | A1 * | 12/2008 | Frakes           | ..... | 206/373 |
| 2010/0108552 | A1 * | 5/2010  | Scrimshaw et al. | ..... | 206/379 |

\* cited by examiner

*Primary Examiner* — Jennifer Rivard

(57) **CLAIM**

I claim the ornamental design for a drill bit holder, as shown and described.

**DESCRIPTION**

FIG. 1 is a right side view.  
FIG. 2 is a left side view.  
FIG. 3 is a front elevation view, the rear elevation view being a mirror image thereof.  
FIG. 4 is a top plan view; and,  
FIG. 5 is a bottom plan view.  
The broken lines illustrate the environment of the drill bit holder and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIGURE 2

FIGURE 1




FIGURE 3




FIGURE 4




FIGURE 5