

US00D669018S

(12) **United States Design Patent**
Ehrat

(10) **Patent No.:** **US D669,018 S**
(45) **Date of Patent:** **** Oct. 16, 2012**

(54) **ROOF BOX ADAPTED TO BE MOUNTED ON
THE TOP OF A VEHICLE FOR CARRYING
LUGGAGE**

(76) Inventor: **Achim Ehrat**, Wangen (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/390,669**

(22) Filed: **Apr. 28, 2011**

Related U.S. Application Data

(62) Division of application No. 29/363,829, filed on Jun. 15, 2010, now Pat. No. Des. 637,138.

(30) **Foreign Application Priority Data**

Dec. 16, 2009 (DE) 40 2009 006 084

(51) **LOC (9) Cl.** **12-16**

(52) **U.S. Cl.** **D12/413**

(58) **Field of Classification Search** D12/413,
D12/414, 406, 412, 414.1; 206/213, 8, 9,
206/279, 290, 713, 335, 315.1–315.4; D32/35,
D32/38; D6/317–319, 513–514, 552; 293/37.1,
293/3, 100; 224/309–310, 315–316, 323–329,
224/400; D3/304–306; 280/760–762, 848,
280/727, 769; 296/99.1, 37.1, 100.01, 100.02,
296/157

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D297,134 S * 8/1988 Levine D12/413
D297,631 S * 9/1988 Breger D12/413
4,794,876 A * 1/1989 Levine 114/352
D312,432 S * 11/1990 Lewis D12/423
D317,429 S * 6/1991 Seaver D12/413
D336,875 S * 6/1993 Cox D12/413
D337,086 S * 7/1993 Theodorsen D12/404
D346,144 S * 4/1994 Katz D12/409
D406,558 S * 3/1999 Pendergraph D12/413
D410,224 S * 5/1999 Landy D12/413
D412,881 S * 8/1999 Behringer D12/413

D419,954 S * 2/2000 Bradt D12/413
D434,719 S * 12/2000 McCoy et al. D12/413
D473,181 S * 4/2003 Schappach D12/413
D503,144 S * 3/2005 Rex D12/413
D513,602 S * 1/2006 Lynch D12/413
D593,482 S * 6/2009 Leopold et al. D12/413
2005/0045678 A1 * 3/2005 Hurd 224/319

* cited by examiner

Primary Examiner — Richard E Chilcot

Assistant Examiner — Katrina A Kile

(74) *Attorney, Agent, or Firm* — Faegre Baker Daniels LLP

(57) **CLAIM**

The design for a roof box adapted to be mounted on the top of a vehicle for carrying luggage, as shown and described.

DESCRIPTION

FIG. 1 is a front corner perspective view of a roof box adapted to be mounted on the top of a vehicle for carrying luggage showing a first embodiment of my new design;

FIG. 2 is a side view thereof;

FIG. 3 is a front top perspective view thereof;

FIG. 4 is an opposite side view thereof;

FIG. 5 is a front end view thereof;

FIG. 6 is a rear end view thereof;

FIG. 7 is a top view thereof;

FIG. 8 is a bottom view thereof;

FIG. 9 is a rear corner perspective view thereof; and

FIG. 10 is a bottom corner perspective view thereof.

FIG. 11 is a front corner perspective view of a roof box adapted to be mounted on the top of a vehicle for carrying luggage showing a second embodiment of my new design;

FIG. 12 is a side view thereof;

FIG. 13 is a front top perspective view thereof;

FIG. 14 is an opposite side view thereof;

FIG. 15 is a front end view thereof;

FIG. 16 is a rear end view thereof;


FIG. 17 is a top view thereof;

FIG. 18 is a bottom view thereof;

FIG. 19 is a rear corner perspective view thereof; and,

FIG. 20 is a bottom corner perspective view thereof.

1 Claim, 10 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig.17




Fig.18




Fig.19




Fig.20