

US00D669062S

(12) **United States Design Patent**
Rothbaum et al.

(10) **Patent No.:** **US D669,062 S**
(45) **Date of Patent:** **** Oct. 16, 2012**

(54) **CASE WITH METAL BACK FOR A CORD MANAGEMENT SYSTEM**

(75) Inventors: **Wayne Philip Rothbaum**, New York, NY (US); **Allison S. Conner**, Brooklyn, NY (US); **Robert B. Curtis**, New York, NY (US); **Jonas K. Damon**, New York, NY (US); **Daniel A. Sanchez**, Brooklyn, NY (US)

(73) Assignee: **CJD LLC**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/375,649**

(22) Filed: **Sep. 24, 2010**

(51) **LOC (9) Cl.** **14-03**

(52) **U.S. Cl.** **D14/250**


(58) **Field of Classification Search** D3/201, D3/215, 218, 269, 273, 294; D14/140, 142, D14/203.3, 217, 218, 240, 242, 250-253, D14/299, 358, 440, 450; D13/103, 107, D13/108.119; 220/4.02; 224/119, 191, 240, 224/241, 245, 682, 683; 248/309.1; 361/679.3, 361/679.56; 379/454, 455; 455/575.1, 575.6, 455/575.7, 575.8, 575.9; 190/100; 206/305, 206/320

See application file for complete search history.

D582,405 S 12/2008 Andre et al. D14/250
D584,738 S 1/2009 Kim et al.
D586,805 S 2/2009 Shi
D587,267 S 2/2009 Wang D14/356
D597,515 S 8/2009 Kim D14/138 AD
D598,887 S 8/2009 Xiao et al. D14/138 AA
D603,603 S 11/2009 Laine et al.
7,612,997 B1 11/2009 Diebel et al. 361/679.56
D606,751 S 12/2009 Andre et al.
D608,772 S 1/2010 Du et al.
D609,463 S 2/2010 Bullen
D610,807 S 3/2010 Bau
D613,722 S 4/2010 Kaneta D14/138 G
D615,077 S 5/2010 Richardson et al. D14/250
D615,078 S 5/2010 Bradley
D615,526 S 5/2010 Andre et al.
D615,536 S 5/2010 Richardson et al.
D616,361 S 5/2010 Huang
D617,784 S 6/2010 Richardson et al. D14/250
D618,230 S 6/2010 Brown et al. D14/250
D619,130 S 7/2010 Fellig
D619,361 S 7/2010 Andre et al.
D619,574 S 7/2010 Richardson et al. D14/250
D620,000 S 7/2010 Bau
D621,821 S 8/2010 Richardson et al.
D622,716 S 8/2010 Andre et al. D14/250
7,782,610 B2 8/2010 Diebel et al. 361/679.56
D623,180 S 9/2010 Diebel D14/250
D623,640 S 9/2010 Freeman D14/250
D624,064 S 9/2010 Esposito D14/250
D624,065 S 9/2010 Bosch et al.
D624,304 S 9/2010 Danze et al.
D624,532 S 9/2010 Huskinson D14/250
D624,533 S 9/2010 Richardson et al. D14/250
D624,908 S 10/2010 Huskinson D14/250
D624,909 S 10/2010 Huskinson D14/250
D626,119 S 10/2010 Fellig D14/250
D626,538 S 11/2010 Brown et al.
D626,539 S 11/2010 Brown et al.
D626,746 S 11/2010 Roman
D626,936 S 11/2010 Yeo et al.
D627,755 S 11/2010 Yang
D627,771 S 11/2010 Smith et al.
D627,778 S 11/2010 Akana et al.
D628,374 S 12/2010 Lee et al.
D628,994 S 12/2010 Griffin, Jr. et al.
D629,786 S 12/2010 Andre et al.
D630,614 S 1/2011 Lee
D633,885 S 3/2011 Kim
D637,590 S 5/2011 Michie et al.
D637,592 S 5/2011 Magness et al.
D638,005 S 5/2011 Richardson et al.
D638,006 S 5/2011 Chang

(56) **References Cited**
U.S. PATENT DOCUMENTS

D364,850 S 12/1995 Estrada et al.
D384,942 S 10/1997 Vinuela
D396,882 S 8/1998 Neal, Jr.
D461,477 S 8/2002 Pentz
D467,247 S 12/2002 Pentz
D513,617 S 1/2006 Tierney
D525,986 S 8/2006 Kim
D539,277 S 3/2007 Okada et al.
D556,681 S 12/2007 Kim
D574,819 S 8/2008 Andre et al.
D575,056 S 8/2008 Tan D3/218
D581,151 S 11/2008 Aipa
D582,149 S 12/2008 Tan D3/218



D640,246	S	6/2011	Liu et al.	
D641,345	S	7/2011	Gonzalez	
D642,169	S	7/2011	Andre et al.	
D642,170	S	7/2011	Johnson et al.	
D643,029	S	8/2011	Feng	
D654,490	S *	2/2012	Weller et al.	D14/250
2002/0073516	A1	6/2002	Behar	24/306
2007/0023559	A1	2/2007	Scapillato et al.	242/400.1
2007/0099681	A1	5/2007	Kielland	455/575.1
2007/0165371	A1	7/2007	Brandenburg	361/683
2009/0114556	A1	5/2009	Tai et al.	
2010/0203931	A1	8/2010	Hynecek et al.	
2010/0300909	A1	12/2010	Hung	

OTHER PUBLICATIONS

Apple iPhone 4 Bumper—White, Apple Store, <http://store.apple.com/us/product/MC668ZM/B>, 2010, 2 pages.

gizmodo.com, *Metal iPhone 4 Cover Protects Your iPhone 4 Without the Bulk of a Case*, gizmodo.com/5666388/metal-iphone-4-cover-protects-your-iphon . . . downloaded Oct. 22, 2010, 2 pages.

Whitson, G., “Gizmodo, Metal iPhone 4 Cover Protects Your iPhone 4 Without the Bulk of a Case,” <http://lifehacker.com>, Oct. 18, 2010, 1 page.

Whitson, G., “Metal iPhone 4 Cover Protects Your iPhone 4 Without the Bulk of a Case,” <http://lifehacker.com/5666069/metal-iphone-4-cover-protects-your-iphone-4-without-the-bulk-of-a-case>, Oct. 17, 2010, 3 pages.

Guy, N., “2012 iPhone + iPod Buyers’ Guide, Apple iPhone 4 Bumpers,” <http://www.ilouonge.com/index.php/reviews/entry/apple-iphone-4-bumper>, Mar. 9, 2011, 16 pages.

Wayne Philip Rothbaum, U.S. Appl. No. 29/375,648, filed Sep. 24, 2010, Notice of Allowance and Fees Due, Date Mailed Jul. 18, 2011, 2 pages.

Wayne Philip Rothbaum, U.S. Appl. No. 29/385,172, filed Feb. 9, 2011, Final Office Action, Notification Date Sep. 6, 2011, 11 pages.

Wayne Philip Rothbaum, U.S. Appl. No. 29/385,174, filed Feb. 9, 2011, Office Action, Notification Date Sep. 2, 2011, 13 pages.

Replacement Polished Stainless Steel Back Cover w/ Metal Tabs for Apple iPhone 4, <http://cnn.cnshop/replacement-polished-stainless-steel-back-cover-metal-tabs-apple-iphone-4-hexagonal>, retrieved Jul. 1, 2011, 2 pages.

* cited by examiner

Primary Examiner — Raphael Barkai
Assistant Examiner — Randall Gholson
 (74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP

(57) **CLAIM**
 The ornamental design for a case with metal back for a cord management system, as shown and described.

DESCRIPTION

The present application relates to U.S. design patent application Ser. No. 29/375,648 filed Sep. 24, 2010, entitled Case with Metal Back for a Cord Management System now U.S. Pat. No. Des. 647,519, and to U.S. design patent application Ser. No. 29/375,651 filed Sep. 24, 2010, also entitled Case with Metal Back for a Cord Management System.

FIG. 1 is a perspective view of an embodiment of our new design of a case with metal back for a cord management system;

FIG. 2 is a perspective view of another embodiment of our new design of a case with metal back for a cord management system;

FIG. 3 is a perspective view of yet another embodiment of our new design of a case with metal back for a cord management system;

FIG. 4 is a first side view of the embodiments of FIG. 1;

FIG. 5 is a first side view of the embodiments of FIGS. 2 and 3;

FIG. 6 is a second side view of embodiment of FIG. 1;

FIG. 7 is a second side view of the embodiments of FIGS. 2 and 3;

FIG. 8 is a third side view of the embodiment of FIG. 1;

FIG. 9 is a third side view of the embodiment of FIG. 2;

FIG. 10 is a third side view of the embodiment of FIG. 3;

FIG. 11 is a fourth side view of the embodiments of FIG. 1;

FIG. 12 is a fourth side view of the embodiment of FIG. 2;

FIG. 13 is a fourth side view of the embodiment of FIG. 3;

FIG. 14 is a back view of the embodiments of FIGS. 1 and 2;

FIG. 15 is a back view of the embodiment of FIG. 3;

FIG. 16 is a front perspective view of the embodiment of FIG. 1 provided for illustrative purposes;

FIG. 17 is a front view of the embodiments of FIGS. 1 and 2;

FIG. 18 is a front view of the embodiment of FIG. 3;

FIG. 19 is a front perspective view of the embodiment of FIG. 1, illustrating this embodiment when used in conjunction with an object;

FIG. 20 is a back perspective view of the embodiment of FIG. 1, illustrating this embodiment when used in conjunction with two objects;

FIG. 21 is a back perspective view of the embodiment of FIG. 1, illustrating this embodiment when used in conjunction with three objects;

FIG. 22 is another back perspective view of the embodiment of FIG. 1, illustrating this embodiment when used in conjunction with three objects;

FIG. 23 is a back perspective view of the embodiment of FIG. 1, wherein a portion of the case with metal back for a cord management system is orange;

FIG. 24 is a back perspective view of the embodiment of FIG. 1, wherein a portion of the case with metal back for a cord management system is green;

FIG. 25 is a back perspective view of the embodiment of FIG. 1, wherein a portion of the case with metal back for a cord management system is blue;

FIG. 26 is a back perspective view of the embodiment of FIG. 1, wherein a portion of the case with metal back for a cord management system is purple;

FIG. 27 is a back perspective view of the embodiment of FIG. 1, wherein a portion of the case with metal back for a cord management system is white;

FIG. 28 is a back perspective view of the embodiment of FIG. 1, wherein a portion of the case with metal back for a cord management system is black (as shown by heavy crosshatching);

FIG. 29 is a back perspective view of the embodiment of FIG. 1, wherein a portion of the case with metal back for a cord management system is gray;

FIG. 30 is a back perspective view of the embodiment of FIG. 1, wherein a portion of the case with metal back for a cord management system is pink;

FIG. 31 is a back perspective view of the embodiment of FIG. 1, wherein a portion of the case with metal back for a cord management system is silver;

FIG. 32 is a back perspective view of the embodiment of FIG. 1, wherein a portion of the case with metal back for a cord management system is red;

FIG. 33 is a back perspective view of the embodiment of FIG. 1, wherein a portion of the case with metal back for a cord management system is an unpainted metal such that its color is metallic natural-silver;

FIG. **34** is an exploded back perspective view of the embodiment of FIG. **1**;

FIG. **35** is an exploded back perspective view of the embodiment of FIG. **2**; and,

FIG. **36** is an exploded back perspective view of the embodiment of FIG. **3**.

The broken lines showing elements of the case with metal back for a cord management system in the above described figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 30 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34



FIG. 35



FIG. 36