



US00D669206S

(12) **United States Design Patent**  
**Yu**

(10) **Patent No.:** **US D669,206 S**  
(45) **Date of Patent:** **\*\* Oct. 16, 2012**

(54) **OUTDOOR WALL-MOUNTED LUMINAIRE**

(76) Inventor: **Chung Han Yu**, City of Industry, CA  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/395,341**

(22) Filed: **Jan. 6, 2012**

(51) **LOC (9) Cl.** ..... **26-03**

(52) **U.S. Cl.** ..... **D26/85**

(58) **Field of Classification Search** ..... D26/70,  
D26/71, 72, 80, 85, 87, 92; 362/147, 431,  
362/432, 183, 33

See application file for complete search history.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D237,533	S	*	11/1975	Gandini	.....	D26/87
D390,999	S	*	2/1998	Gaskins et al.	.....	D26/85
D465,593	S	*	11/2002	Chang	.....	D26/72
D509,619	S	*	9/2005	Rugee	.....	D26/138
D530,037	S	*	10/2006	Bucher et al.	.....	D26/67
D553,789	S	*	10/2007	Akinrele et al.	.....	D26/118
D553,790	S	*	10/2007	Akinrele et al.	.....	D26/118
D565,232	S	*	3/2008	Butler	.....	D26/85
D570,027	S	*	5/2008	Miller et al.	.....	D26/85
D586,030	S	*	2/2009	Genova	.....	D26/85
D588,292	S	*	3/2009	Sabernig	.....	D26/71
D626,272	S	*	10/2010	Verelst	.....	D26/85

**OTHER PUBLICATIONS**

Quarter sphere wall sconce model #WSQ from Lithonia Lighting.



Shown on pp. 506 and 507 of the Acuity Brands Lighting catalog © 2006. (3 pages).\*

\* cited by examiner

*Primary Examiner* — Clare E Heflin

(57) **CLAIM**

The ornamental design for an outdoor wall-mounted luminaire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an outdoor wall-mounted luminaire showing my new design;

FIG. 2 is a front elevation view of a first embodiment of the outdoor wall-mounted luminaire shown in FIG. 1;

FIG. 3 is a top plan view of a first embodiment of the outdoor wall-mounted luminaire shown in FIG. 1;

FIG. 4 is a rear elevation view of a first embodiment of the outdoor wall-mounted luminaire shown in FIG. 1;

FIG. 5 is a side elevation view of a first embodiment of the outdoor wall-mounted luminaire shown in FIG. 1;

FIG. 6 is a bottom plan view of a first embodiment of the outdoor wall-mounted luminaire shown in FIG. 1;


FIG. 7 is a bottom plan view of a second embodiment of the outdoor wall-mounted luminaire shown in FIG. 1;

FIG. 8 is a front elevation view of a second embodiment of the outdoor wall-mounted luminaire shown in FIG. 1;

FIG. 9 is a rear elevation view of a second embodiment of the outdoor wall-mounted luminaire shown in FIG. 1; and,

FIG. 10 is a side elevation view of a second embodiment of the outdoor wall-mounted luminaire shown in FIG. 1.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10