



US00D669502S

(12) **United States Design Patent**
Ohm et al.

(10) **Patent No.:** **US D669,502 S**
(45) **Date of Patent:** **** Oct. 23, 2012**

(54) **PORTABLE TIRE INFLATOR WITH TRIANGULAR REFLECTOR**

DESCRIPTION

(75) Inventors: **Patrick L. Ohm**, Mesa, AZ (US); **C. Kwai Kong**, Gilroy, CA (US); **Alan Okamura**, Santa Cruz, CA (US); **Todd Donaldson**, Nashville, TN (US)

(73) Assignee: **Bell Automotive Products, Inc.**, Scottsdale, AZ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/413,365**

(22) Filed: **Feb. 14, 2012**

(51) **LOC (9) Cl.** **15-02**

(52) **U.S. Cl.** **D15/9**

(58) **Field of Classification Search** D15/7-9;
D23/231, 232, 225; 417/60, 235, 265, 321,
417/355, 358, 363, 359, 410.1, 415-416,
417/405, 900; 60/408, 412; 184/26-37;
415/140-147; 123/495, 509

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,187,058 A * 2/1980 Fish 417/234
D257,354 S * 10/1980 Fish D15/9
D323,329 S * 1/1992 Wong D15/9

* cited by examiner

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Booth Udall, PLC

(57) **CLAIM**

The ornamental design for a portable tire inflator with triangular reflector, as shown and described.

FIG. 1 is perspective view of a first embodiment of a portable tire inflator;

FIG. 2 is a left side view of a first embodiment of a portable tire inflator;

FIG. 3 is a front view of a first embodiment of a portable tire inflator;

FIG. 4 is a rear view of a first embodiment of a portable tire inflator;

FIG. 5 is a right side view of a first embodiment of a portable tire inflator;

FIG. 6 is a top view of a first embodiment of a portable tire inflator;

FIG. 7 is a bottom view of a first embodiment of a portable tire inflator;

FIG. 8 is a perspective view of a second embodiment of a portable tire inflator;

FIG. 9 is a left side view of a second embodiment of a portable tire inflator;

FIG. 10 is a right side view of a second embodiment of a portable tire inflator;

FIG. 11 is a front view of a second embodiment of a portable tire inflator;


FIG. 12 is a rear view of a second embodiment of a portable tire inflator;


FIG. 13 is a top view of a second embodiment of a portable tire inflator; and,

FIG. 14 is a bottom view of a second embodiment of a portable tire inflator.

The broken lines are included for the purpose of illustrating environmental features and form no part of the claimed design.

1 Claim, 12 Drawing Sheets








FIG. 2




FIG. 3




FIG. 4




Fig. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14