

## (12) United States Design Patent (10) Patent No.: US D669,602 S Jenkins (45) Date of Patent: \*\* Oct. 23, 2012

#### (54) **PORTION OF A SHINGLE**

- (75) Inventor: **Robert L. Jenkins**, HoneyBrook, PA (US)
- (73) Assignee: CertainTeed Corporation, Valley Forge, PA (US)

(\*\*) Term: **14 Years** 

5,950,387 A 9/1999 Stahl et al. 6,199,338 B1 Hudson, Jr. et al. 3/2001 6,205,734 B1 3/2001 Kalkanoglu 6,467,235 B2 10/2002 Kalkanoglu et al. 2/2003 Stahl et al. 6,523,316 B2 6,874,289 B2 4/2005 Koch et al. 6,920,730 B2 7/2005 Becker et al.

#### OTHER PUBLICATIONS

HammerZone.com Better Living Through Handy man-ly-ness. Re-Roofing Part 3: Installing Asphalt Roof Shingles. 8 pages. Owens
Corning Roofing: Starter Strip Shingle. 1 page.
Applying Roofing Shingles. DoltYourself.com. 4 pages.
Lowes.com How-To-Library. Applying Asphalt Shingles. Skill
Level: Advanced. 4 pages.

(21) Appl. No.: **29/425,389** 

(22) Filed: Jun. 22, 2012

#### **Related U.S. Application Data**

- (62) Division of application No. 29/393,677, filed on Jun. 8, 2011.
- (52) U.S. Cl. ..... D25/143
- (58) Field of Classification Search ...... D25/139, D25/140, 141, 143, 144; 52/519, 518, 523, 52/524, 526, 535, 554, 555, 556, 560, 557, 52/558, 311.1, 311.2, 314

See application file for complete search history.

(56) **References Cited** 

### U.S. PATENT DOCUMENTS

1,150,298 A	*	8/1915	Overbury	52/559
3,921,358 A	*	11/1975	Bettoli	52/314
4.637.191 A		1/1987	Smith	

\* cited by examiner

Primary Examiner — Doris Clark
(74) Attorney, Agent, or Firm — Paul & Paul

(57) **CLAIM** The ornamental design for a portion of a shingle, as shown and described.

#### DESCRIPTION

FIG. 1 is a front view of a portion of a shingle of my design. The rear view of the portion of the shingle is plain and unornamented.

FIG. **2** is a bottom edge view of the portion of the shingle of FIG. **1**.

FIG. 3 is a right side edge view of the portion of the shingle of
FIG. 1. The left side edge view is a mirror image thereof.
FIG. 4 is a front view of another embodiment of the portion of
a shingle of my design. The rear view of the portion of the
shingle is plain and unornamented.
FIG. 5 is a bottom edge view of the portion of the shingle of

D309,027	S		7/1990	Noone et al.
D313,278	S		12/1990	Noone
D313,658	S		1/1991	Noone
4,992,315	Α		2/1991	Zickell et al.
5,239,802	Α		8/1993	Robinson
D340,294	S		10/1993	Hannah et al.
D350,615	S		9/1994	Klein et al.
D369,421	S	*	4/1996	Kiik et al D25/139
D375,563	S		11/1996	Hannah et al.
D376,660	S		12/1996	Hannah et al.
D379,672	S	*	6/1997	Lamb et al D25/142
D388,195	S		12/1997	Hannah et al.
D406,361	S	*	3/1999	Bondoc et al D25/143

FIG. 6 is a right side edge view of the portion of the shingle ofFIG. 4. The left side edge view is a mirror image thereof.The broken lines are for illustrative purposes only and formno part of the claimed design.

#### 1 Claim, 2 Drawing Sheets



# U.S. Patent Oct. 23, 2012 Sheet 1 of 2 US D669,602 S



Fig. 1

	nered biologic construction of the state of	
and the second		

Fig. 2





#### **U.S. Patent** US D669,602 S Oct. 23, 2012 Sheet 2 of 2

		******		******			-		*****	******			-						******			*******			*
Š.																									
*																				an and a same					-36 -34
	•****		****	`* <u>`</u> *	(2 <b>š</b> * 1		e	\$2.				<b>**</b> *	`• <b>`</b> ;?	<b>`**</b> *	****		÷2`•`.	<i>,</i>	÷	1. Je 1.	<u>,</u>	<b>``</b> ```	£262		ĺ
	***	<u>.</u>	$\langle \cdot, \cdot \rangle$	<u> </u>			(	. X.				( * * ÷		••••••		£.,,					<b></b>			***	1
		2.02	***/	1.1	,	· · · ·	• <b>*</b> **		21° -	<u>,                                    </u>		*** (	(2)	? <i>?</i>	•••••		*? *.	***	2/×.*		<b>`</b> '	<sup>7</sup> 2.*2			
2 * <b>2</b>		S., š. s. s.	** ÷ .			***	ų.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	*,22	****	****	· • • • •	** <i>i</i>		* <b>*</b> **	: • • •	••••*•		****	· · · ·	· .**,	** <i>i</i>			****	1
		<b>/</b> •/••••				•• <b>?</b> •1	• • • • •	°			2.52	• * * • •	·	· · · ·	•• (•'		'. <b>~</b>		**••	(•) r		S	· · · ·	••?•}	
10 Q			6 * 2 s <sup>7</sup>		2. X.	2221	. * * *	22.*				**?*	<b></b> !	12. s e		<b>```</b> ````	20.0			62.2¥	****		<b>.</b>	2.423	à



Fig. 4

|--|--|--|--|--|--|



Fig. 6