



US00D669603S

(12) **United States Design Patent**
Miyashita

(10) **Patent No.:** **US D669,603 S**
(45) **Date of Patent:** **** Oct. 23, 2012**

(54) **LIGHT-EMITTING DIODE MODULE FOR ILLUMINATING AN OBJECT**

(75) Inventor: **Takumi Miyashita**, Fujiyoshida (JP)

(73) Assignees: **Citizen Electronics Co., Ltd.**,
Yamanashi (JP); **Citizen Holdings Co., Ltd.**,
Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/369,215**

(22) Filed: **Sep. 3, 2010**

(30) **Foreign Application Priority Data**

Mar. 4, 2010 (JP) D2010-005216

(51) **LOC (9) Cl.** **26-04**

(52) **U.S. Cl.** **D26/1; D26/39**

(58) **Field of Classification Search** D26/1,
D26/37-50; 362/171-174, 183-208
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D565,750 S * 4/2008 Egawa D26/1
D583,971 S * 12/2008 Castellucci et al. D26/39

D614,780 S * 4/2010 Huang D26/1
* cited by examiner

Primary Examiner — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Browdy and Neimark,
PLLC

(57) **CLAIM**

The ornamental design for a light-emitting diode module for illuminating an object, as shown and described.

DESCRIPTION

FIG. 1 is a reduced perspective view of a light-emitting diode module for illuminating an object in accordance with the present design as viewed from front, with the center portion broken away to indicate indeterminate length;

FIG. 2 is an enlarged perspective view thereof as viewed from front with the portions broken away for ease of illustration and the broken lines forming no part of the claimed design;

FIG. 3 is a perspective view thereof as viewed from rear;

FIG. 4 is a front elevation view thereof;

FIG. 5 is a rear elevation view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a left side view thereof, a right side view thereof being a mirror image of FIG. 8.

1 Claim, 5 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7





Fig. 8



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D669,603 S
APPLICATION NO. : 29/369215
DATED : October 23, 2012
INVENTOR(S) : Takumi Miyashita

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title page, Item (57) under DESCRIPTION, at FIG. 1, line 3, after the word “front”, delete “, with the center portion broken away to indicate indeterminate length”

Signed and Sealed this
Twelfth Day of February, 2013



Teresa Stanek Rea
Acting Director of the United States Patent and Trademark Office