



US00D669606S

(12) **United States Design Patent**  
**Sherman et al.**(10) **Patent No.:** **US D669,606 S**  
(45) **Date of Patent:** \*\* Oct. 23, 2012(54) **LIGHT BULB**(75) Inventors: **Matthew Sherman**, Sharon, MA (US);  
**David Morin**, Salem, NH (US);  
**Timothy Kelly**, Brookline, MA (US);  
**Terence Yeo**, Boston, MA (US)(73) Assignee: **Fusion Optix, Inc.**, Woburn, MA (US)(\*\*) Term: **14 Years**(21) Appl. No.: **29/402,990**(22) Filed: **Sep. 30, 2011****Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/400,493, filed on Aug. 29, 2011.

(51) **LOC (9) Cl.** ..... **26-04**(52) **U.S. Cl.** ..... **D26/2**(58) **Field of Classification Search** ..... D26/1-4;  
313/313, 315, 316, 317, 318, 493; 315/52,  
315/53, 56, 57, 58

See application file for complete search history.

## (56)

**References Cited****U.S. PATENT DOCUMENTS**D617,915 S \* 6/2010 Wada et al. .... D26/2  
D617,918 S \* 6/2010 Yamamoto et al. .... D26/2  
D617,919 S \* 6/2010 Wada et al. .... D26/2  
D620,155 S \* 7/2010 Wang et al. .... D26/2  
D629,929 S \* 12/2010 Chen et al. .... D26/2

\* cited by examiner


*Primary Examiner* — Marcus Jackson(57) **CLAIM**

The ornamental design for a light bulb, as shown.


**DESCRIPTION**FIG. 1 is an elevated perspective view of the new light bulb.  
FIG. 2 is a tilted perspective view of the new light bulb.  
FIG. 3 is a side view of the new light bulb.  
FIG. 4 is a top view of the new light bulb; and,  
FIG. 5 is a bottom view of the new light bulb.**1 Claim, 4 Drawing Sheets**




**Figure 1**




**Figure 2**



**Figure 3**



**Figure 4**



**Figure 5**