

US00D669788S

(12) **United States Design Patent**
MacLean et al.

(10) **Patent No.:** **US D669,788 S**
(45) **Date of Patent:** **** Oct. 30, 2012**

(54) **CONTAINER**

(75) Inventors: **Eric Brian MacLean**, Appleton, WI (US); **Jason Robert Kallenbach**, Akron, OH (US); **Jonathan Edward Rathbone**, Chicago, IL (US); **Stacy Alycia Thomas Castro**, Chicago, IL (US)

(73) Assignee: **The J.M. Smucker Company**, Orrville, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/382,792**

(22) Filed: **Jan. 7, 2011**

(51) **LOC (9) Cl.** **09-01**

(52) **U.S. Cl.** **D9/542; 39/565; 39/571**

(58) **Field of Classification Search** D9/516,
D9/529-530, 537, 539-542, 558, 564, 571-575,
D9/682-694; 215/379, 381-382, 384; 220/660,
220/662, 669

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

32,118	A	1/1900	Heath	
38,385	A	12/1906	Kohn	
D71,299	S	10/1926	Rebel	
D187,959	S *	5/1960	Landor	D9/542
D270,039	S	8/1983	Lipscombe	
D296,670	S	7/1988	Gill	
D327,011	S	6/1992	Wefler	
5,370,266	A *	12/1994	Woodruff	222/212 X
D370,178	S	5/1996	Petre et al.	
D380,389	S	7/1997	Crawford	
D384,285	S	9/1997	D'Amico et al.	
D395,002	S	6/1998	Monahan	
D396,191	S	7/1998	Kuzma et al.	
D425,432	S	5/2000	Lewin	
D451,030	S	11/2001	Trabal	
D451,403	S	12/2001	Duboeuf et al.	
D454,791	S	3/2002	Trabal	

D482,624	S *	11/2003	Hadkte et al.	D9/558 X
D486,741	S *	2/2004	Houghton	D9/574 X
D486,742	S *	2/2004	Houghton	D9/574 X
D495,604	S	9/2004	Lund et al.	
D495,605	S	9/2004	Crawford	
D497,810	S *	11/2004	Maus	D9/571 X
D498,680	S	11/2004	Cleary	
D506,140	S *	6/2005	Maus	D9/571 X
D511,970	S *	11/2005	Cleary	D9/542
D522,372	S *	6/2006	Wang et al.	D9/542
D528,006	S *	9/2006	Walther et al.	D9/542
D528,429	S	9/2006	Bartel	
D532,313	S	11/2006	Stolle	
D533,069	S	12/2006	Archeny	
D541,661	S *	5/2007	Wang et al.	D9/542
D545,210	S *	6/2007	Armstrong et al.	D9/564 X

(Continued)

Primary Examiner — Carol P Rademaker

(74) *Attorney, Agent, or Firm* — Calfee, Halter & Griswold LLP

(57) **CLAIM**

We claim the ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side perspective view of a container;

FIG. 2 is a front elevational view thereof, the rear elevational view being a mirror image thereof;

FIG. 3 is a right side elevational view thereof, the left side elevational view being a mirror image thereof;


FIG. 4 is a top plan view thereof; and,

FIG. 5 is a bottom plan view thereof.

The dash-dash-dash-dash type broken lines shown in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design.

The dot-dash-dot-dash type broken lines shown in the drawings define the top and bottom boundaries of the claimed design and form no part thereof.

1 Claim, 4 Drawing Sheets



US D669,788 S

Page 2

U.S. PATENT DOCUMENTS

D545,211 S *	6/2007	Armstrong et al.	D9/574 X	7,717,307 B2	5/2010	Baughman et al.
D550,092 S *	9/2007	Wang et al.	D9/542	D616,756 S	6/2010	Schlies et al.
D551,564 S	9/2007	Patey et al.		D622,146 S	8/2010	Wheaton et al.
D556,048 S	11/2007	Lepoitevin		D634,208 S *	3/2011	Schlies D9/542
D565,417 S *	4/2008	Lee et al.	D9/541	D635,860 S *	4/2011	Sahu et al. D9/529
D573,886 S	7/2008	Liu et al.		D637,915 S *	5/2011	Huang D9/542
D585,752 S	2/2009	Shami		D642,475 S *	8/2011	Crutchley et al. D9/571 X
D596,038 S	7/2009	Lucia et al.		D649,059 S *	11/2011	Toh et al. D9/574 X
D603,274 S	11/2009	Patey et al.		D649,060 S *	11/2011	Wheaton et al. D9/571 X
D610,010 S	2/2010	Schwartz et al.		2009/0302070 A1	12/2009	Patey et al.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5