

US00D669801S

(12) **United States Design Patent**
Vroonen

(10) **Patent No.:** **US D669,801 S**

(45) **Date of Patent:** **** Oct. 30, 2012**

(54) **MOTION DETECTOR FOR OPENING DOORS**

(56) **References Cited**

(75) Inventor: **Georges Vroonen**, Bassenge (BE)

U.S. PATENT DOCUMENTS

(73) Assignee: **Bureau d'Electronique Appliquee, S.A.**, Angleur (BE)

D625,632 S * 10/2010 Takahara et al. D10/70
8,035,508 B2 * 10/2011 Breed 340/539.11

(**) Term: **14 Years**

* cited by examiner

Primary Examiner — Antoine D Davis

(21) Appl. No.: **29/393,122**

(74) *Attorney, Agent, or Firm* — Kirschstein, et al.

(22) Filed: **May 31, 2011**

(57) **CLAIM**

The ornamental design for a motion detector for opening doors, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Dec. 6, 2010 (EP) 001248058-0001

(51) **LOC (9) Cl.** **10-04**


(52) **U.S. Cl.** **D10/70**

(58) **Field of Classification Search** D10/46,
D10/70; 250/221, 338.3, 340; 307/116,
307/117; 340/521, 527, 539.1, 539.13, 541,
340/567, 568.1

FIG. 1 is a bottom perspective view of a motion detector for opening doors according to my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a right end elevational view thereof;
FIG. 5 is a left end elevational view thereof;
FIG. 6 is a rear elevational view thereof; and,
FIG. 7 is a bottom plan view thereof.
The dashed lines in the drawings are for environmental purposes and form no part of the claimed design.

See application file for complete search history.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 5




FIG. 4




FIG. 2




FIG. 3

FIG. 6





FIG. 7