



US00D669879S

(12) **United States Design Patent**  
**Iijima**

(10) **Patent No.:** **US D669,879 S**

(45) **Date of Patent:** **\*\* Oct. 30, 2012**

(54) **RECORDING DEVICE**

(75) Inventor: **Yoshimune Iijima**, Tokyo (JP)

(73) Assignee: **Sony Corporation**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/371,919**

(22) Filed: **Jan. 19, 2012**

(30) **Foreign Application Priority Data**

Jul. 20, 2011 (JP) ..... D2011-016643

Aug. 12, 2011 (CN) ..... 2011 3 0269425

(51) **LOC (9) Cl.** ..... **14-01**

(52) **U.S. Cl.** ..... **D14/167**

(58) **Field of Classification Search** ..... D14/167,

D14/154, 168, 188, 496, 156, 160, 161, 162,

D14/163, 164, 165, 158, 203.1, 341, 346,

D14/342, 345, 225, 226, 228, 227, 214, 247,

D14/203.7; 455/351, 350; D19/60, 62; D21/330;

369/44.14, 44.32; 700/94

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D374,871 S 10/1996 Taniguchi  
D430,134 S 8/2000 Obata et al.  
D623,166 S 9/2010 Oka

*Primary Examiner* — Austin Murphy

(74) *Attorney, Agent, or Firm* — Rader, Fishman & Grauer PLLC

(57) **CLAIM**

The ornamental design for a recording device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a recording device showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

Portions in broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**





FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7

