

US00D669881S

(12) **United States Design Patent**  
**Clements et al.**

(10) **Patent No.:** **US D669,881 S**  
(45) **Date of Patent:** **\*\* Oct. 30, 2012**

(54) **USER INTERFACE**

(75) Inventors: **Daniel V. Clements**, Chicago, IL (US);  
**Adam Cybart**, McHenry, IL (US);  
**Dickon Isaacs**, Chicago, IL (US); **Hyun H. Lee**, Atlanta, GA (US); **Mark D. Zaveson**, Antioch, IL (US)

(73) Assignee: **Motorola Mobility LLC**, Libertyville, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/398,849**

(22) Filed: **Aug. 5, 2011**

(51) **LOC (9) Cl.** ..... **14-01**

(52) **U.S. Cl.** ..... **D14/205**

(58) **Field of Classification Search** ..... D14/205,  
D14/206, 223, 188, 192; 181/129, 130, 135;  
379/430, 431; 381/380, 381, 370, 301, 385,  
381/151; 455/90.3; 128/864, 866; 345/8;  
D24/106

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,325,453	A *	4/1982	Moussette	.....	181/135
D337,587	S *	7/1993	Nakayama	.....	D14/205
D338,267	S *	8/1993	Scholey	.....	D24/106
D368,716	S *	4/1996	Shudo	.....	D14/205
D371,558	S *	7/1996	Yoshizawa	.....	D14/205
D381,414	S *	7/1997	Westerdal	.....	D24/106
5,829,062	A *	11/1998	Magidson	.....	2/209
D403,062	S *	12/1998	Dix	.....	D24/106
6,233,345	B1 *	5/2001	Urwyler	.....	381/381
D458,244	S *	6/2002	Masuda	.....	D14/205
D458,245	S *	6/2002	Masuda	.....	D14/205
6,603,863	B1 *	8/2003	Nagayoshi	.....	381/380
6,690,808	B2 *	2/2004	Urwyler	.....	381/381
6,798,391	B2 *	9/2004	Peterson, III	.....	345/8
D533,539	S *	12/2006	Mah	.....	D14/205

D550,202	S *	9/2007	Meier et al.	.....	D14/206
D557,685	S *	12/2007	Lee	.....	D14/205
D560,206	S *	1/2008	Hermansen et al.	.....	D14/206
D569,369	S *	5/2008	Brennwald	.....	D14/205
D574,013	S *	7/2008	Brennwald	.....	D14/496
D575,268	S	8/2008	Christopher et al.		
D579,442	S *	10/2008	Kim et al.	.....	D14/205
D587,678	S *	3/2009	Yuyama	.....	D14/205
D593,067	S *	5/2009	Millora et al.	.....	D14/205
D593,538	S *	6/2009	Chon et al.	.....	D14/205
D594,442	S *	6/2009	Chon et al.	.....	D14/205
D604,269	S *	11/2009	Choe	.....	D14/205
D617,308	S *	6/2010	Nousiainen et al.	.....	D14/205
D643,830	S *	8/2011	Fish	.....	D14/205
D645,444	S *	9/2011	Quek	.....	D14/205
D653,234	S *	1/2012	Lee et al.	.....	D14/205

\* cited by examiner

Primary Examiner — Paula Greene

(57) **CLAIM**

The ornamental design for a user interface, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an ornamental design for a user interface;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a first side view thereof;


FIG. 6 is a second side view thereof;

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

The broken lines shown in FIGS. 1-8, that are immediately adjacent to the shaded areas, and define unshaded regions, represent the bounds of the first embodiment, while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the first embodiment.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8