



US00D669897S

(12) **United States Design Patent**  
**Nakata**

(10) **Patent No.:** **US D669,897 S**  
(45) **Date of Patent:** **\*\* Oct. 30, 2012**

(54) **STYLUS PEN WITH BALLPOINT PEN**

(75) Inventor: **Takaaki Nakata**, Kuki (JP)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/426,914**

(22) Filed: **Jul. 11, 2012**

(30) **Foreign Application Priority Data**

Mar. 6, 2012 (JP) ..... 2012-005007

(51) **LOC (9) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/411**

(58) **Field of Classification Search** ..... D8/61;  
D14/411; D19/35, 36, 41-51, 54-58; 401/55,  
401/99, 100, 104-107, 196, 197, 202, 208,  
401/209, 213, 192, 195, 243; 708/107; 345/179,  
345/173; 178/19.01; 700/94  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D279,115 S \* 6/1985 Nishida ..... D19/51  
(Continued)

**FOREIGN PATENT DOCUMENTS**

EM 001180046-0015 12/2009  
(Continued)

**OTHER PUBLICATIONS**

“Touch Pen Eingabestift Eingabe Stift Pouch Farbe: Schwarz/Matt-Silber für iPhone 3G, 3GS, 4, 4S, iPad 2, Samsung Galaxy 2 und alle anderen Touchscreen Touch Screen Geräte . . . Marke: Incutex” [translation: “Touch Pen Stylus Input Pen Pouch Color: Black/Matte Silver for iPhone 3G, 3GS, 4, 4S, iPad 2, Samsung Galaxy 2 and All Other Touchscreen Touch Screen Devices . . . Brand: Incutex”], product listing on Amazon.de, <<http://www.amazon.de/Touch-Eingabestift-Eingabe-Stift-Pouch/dp/B007KX4W0O/ref=wl>> [retrieved Apr. 12, 2012], 3 pages.

*Primary Examiner* — Austin Murphy

(74) *Attorney, Agent, or Firm* — Christensen O’Connor Johnson Kindness PLLC

(57) **CLAIM**

I claim the ornamental design for the stylus pen with ballpoint pen, as shown and described.

**DESCRIPTION**

FIG. 1 is a right side view of the stylus pen with ballpoint pen, wherein the cap is shown covering the writing end of the pen and the stylus end is shown exposed. The left side view of the pen is a mirror image of the right side view;  
FIG. 2 is a bottom plan view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a front elevation view thereof;  
FIG. 5 is a rear elevation view thereof;  
FIG. 6 is an enlarged bottom plan view thereof;  
FIG. 7 is an enlarged top plan view thereof;  
FIG. 8 is a front bottom right isometric view thereof;  
FIG. 9 is a side elevation view of the writing instrument shown in FIG. 1 but with the cap removed, showing the writing end as unclaimed;  
FIG. 10 is a bottom plan view thereof;  
FIG. 11 is a top plan view thereof;  
FIG. 12 is an enlarged bottom plan view thereof;  
FIG. 13 is an enlarged top plan view thereof;  
FIG. 14 is a right side view of the cap of the pen shown in FIG. 1. The the left side view of the cap is a mirror image of the right side view;  
FIG. 15 is a bottom plan view of FIG. 14;  
FIG. 16 is a front elevation view of FIG. 14;  
FIG. 17 is a rear elevation view of FIG. 14;  
FIG. 18 is an enlarged bottom plan view of FIG. 15; and,  
FIG. 19 is a right side elevation view of the pen shown in FIG. 1. The cap is shown removed from the writing end and is shown covering the stylus end of the pen. The left side view of FIG. 19 is a mirror image of the right side view.  
The broken lines shown in FIGS. 9, 11, 13, 15, 18, and 19 illustrate environmental subject matter and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



# US D669,897 S

Page 2

---

## U.S. PATENT DOCUMENTS

D316,726 S \* 5/1991 Itoh ..... D19/51  
D321,207 S \* 10/1991 Granoff ..... D19/49  
D333,133 S \* 2/1993 Hirota ..... D14/411  
D357,676 S \* 4/1995 Mundt et al. .... D14/411  
D390,872 S \* 2/1998 Sunaga ..... D19/36  
D395,672 S \* 6/1998 Navarro ..... D19/48  
D395,673 S \* 6/1998 Baubil ..... D19/51  
D458,635 S \* 6/2002 Boyle et al. .... D19/36

D595,352 S \* 6/2009 Ikeda ..... D19/48  
D644,227 S \* 8/2011 Son ..... D14/411  
D655,292 S \* 3/2012 Nakata ..... D14/411  
D659,141 S \* 5/2012 Watson ..... D14/411


## FOREIGN PATENT DOCUMENTS

JP 664638 S 11/1985


\* cited by examiner




*Fig. 1.*




*Fig. 2.*




*Fig. 3.*




*Fig. 4.*




*Fig. 5.*




*Fig. 6.*




*Fig. 7.*




*Fig. 8.*




*Fig. 9.*




*Fig. 10.*



*Fig. 11.*



*Fig. 12.*




*Fig. 13.*




*Fig. 14.*




*Fig. 16.*




*Fig. 15.*



*Fig. 17.*



*Fig. 18.*



*Fig. 19.*

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D669,897 S  
APPLICATION NO. : 29/426914  
DATED : October 30, 2012  
INVENTOR(S) : Nakata


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

<u>COLUMN</u>	<u>LINE</u>	<u>ERROR</u>
Item (57)	Description line 20 of text	“The the left side” should read --The left side--

Signed and Sealed this  
Tenth Day of December, 2013



Margaret A. Focarino  
*Commissioner for Patents of the United States Patent and Trademark Office*