



US00D670006S

(12) **United States Design Patent**  
**Johnson et al.**

(10) **Patent No.:** **US D670,006 S**  
(45) **Date of Patent:** **\*\* Oct. 30, 2012**

(54) **POST CAP**

(75) Inventors: **Kimberly Johnson**, New York, NY (US); **Anne Stamper**, New York, NY (US)

(73) Assignee: **Curb Allure LLC**, New York, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/417,348**

(22) Filed: **Apr. 2, 2012**

**Related U.S. Application Data**

(63) Continuation of application No. 13/079,803, filed on Apr. 4, 2011.

(51) **LOC (9) Cl.** ..... **25-01**

(52) **U.S. Cl.** ..... **D25/135**

(58) **Field of Classification Search** ..... D25/135;  
256/65.01; D26/67, 68; 52/300, 301  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D458,390 S \* 6/2002 Ohanesian ..... D25/135  
6,662,515 B2 \* 12/2003 Buherts et al. .... 52/301  
D567,965 S \* 4/2008 Deverson ..... D25/135

\* cited by examiner

*Primary Examiner* — Doris Clark

(74) *Attorney, Agent, or Firm* — Michael Mauriel; Mauriel Kapouytian & Treffert LLP.


(57) **CLAIM**

The ornamental design for a post cap, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a post cap.  
FIG. 2 is a front view of FIG. 1.  
FIG. 3 is a right view of FIG. 1.  
FIG. 4 is a rear view of FIG. 1.  
FIG. 5 is a left view of FIG. 1.  
FIG. 6 is a top view of FIG. 1.  
FIG. 7 is a bottom view of FIG. 1; and,  
FIG. 8 shows FIG. 1 in the context of use with a post.  
The broken lines showing environmental structure is for illustrative purposes only and form no part of the claimed design. A post cap is used as part of post for an outdoor fence such as, for example, a tree guard or any type of fence enclosing plants or other vegetation.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8