



US00D670034S

(12) **United States Design Patent**  
**Kolodziej**

(10) **Patent No.:** **US D670,034 S**

(45) **Date of Patent:** **\*\* Oct. 30, 2012**

(54) **VENTED CONSTRUCTION HARD HAT**

(76) Inventor: **Melvin Kolodziej**, Falls City, TX (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/403,417**

(22) Filed: **Oct. 5, 2011**

(51) **LOC (9) Cl.** ..... **02-03**

(52) **U.S. Cl.** ..... **D29/102**

(58) **Field of Classification Search** ..... D29/102-107,  
D29/122; 2/421-425, 410-411, 5, 6.1, 6.3,  
2/6.5-6.7

See application file for complete search history.

D433,776	S *	11/2000	Scanlon	.....	D29/102
6,431,502	B1	8/2002	Goodman		
D468,062	S *	12/2002	Santiago	.....	D29/103
6,497,493	B1 *	12/2002	Theisen	.....	362/105
D475,161	S *	5/2003	Mundy	.....	D29/103
D498,880	S *	11/2004	Jones	.....	D29/104
6,868,560	B2	3/2005	Bostock		
6,964,066	B2 *	11/2005	Tucker	.....	2/414
D524,990	S *	7/2006	Steinhobel	.....	D29/103
7,114,194	B2	10/2006	English		
D536,486	S *	2/2007	Himmele	.....	D29/103
D575,905	S *	8/2008	Davis et al.	.....	D29/102
D600,412	S *	9/2009	Ochoa	.....	D29/102
D648,899	S *	11/2011	Westerdal	.....	D29/102
2004/0093660	A1	5/2004	Bostock		
2006/0206994	A1	9/2006	Rogers et al.		
2007/0016998	A1 *	1/2007	Reddington	.....	2/5
2010/0024097	A1 *	2/2010	Saenim	.....	2/411

\* cited by examiner

*Primary Examiner* — Ruth McInroy

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,988,101	A	11/1933	Wittcoff		
2,585,937	A	2/1952	Johnson et al.		
2,853,708	A	9/1958	Austin		
D198,776	S *	8/1964	Simpson et al.	.....	D29/104
3,495,272	A	2/1970	Tempelhof		
3,633,214	A	1/1972	Newcomb		
D228,264	S *	9/1973	Potter	.....	D29/104
D234,411	S *	3/1975	Zuppert	.....	D29/104
3,909,846	A	10/1975	Zahn		
3,925,821	A	12/1975	Lewicki		
4,055,860	A	11/1977	King		
4,131,953	A	1/1979	Kimotsuki		
4,293,960	A	10/1981	Palmaer		
4,463,456	A	8/1984	Hanson		
D277,425	S *	2/1985	Higginson	.....	D29/104
4,766,614	A	8/1988	Cantwell et al.		
D300,275	S *	3/1989	Sjogren et al.	.....	D29/104
5,319,808	A	6/1994	Bishop et al.		
D354,376	S *	1/1995	Kun	.....	D29/104
D370,308	S *	5/1996	Nilsson	.....	D29/102
D383,876	S *	9/1997	Pacheco	.....	D29/103
5,765,234	A	6/1998	Petzl et al.		
6,081,931	A	7/2000	Burns et al.		



(57) **CLAIM**


An ornamental design for a vented construction hard hat, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front and left-side perspective view of a vented construction hard hat showing my new design;  
 FIG. 2 is a top view thereof;  
 FIG. 3 is a bottom view thereof;  
 FIG. 4 is a second bottom view showing a headband in broken lines;  
 FIG. 5 is a left side view thereof;  
 FIG. 6 is a front view thereof; and,  
 FIG. 7 is a rear view thereof.  
 The details shown in broken lines form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**





*Fig. 1*




Fig. 2






Fig. 3







*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*