

US00D670188S

(12) **United States Design Patent**
Fissell

(10) **Patent No.:** **US D670,188 S**

(45) **Date of Patent:** **** Nov. 6, 2012**

(54) **ILLUMINATING WRISTBAND**

(76) **Inventor:** **Jeremy J. Fissell**, San Luis Obispo, CA
(US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/357,209**

(22) **Filed:** **Mar. 9, 2010**

(51) **LOC (9) Cl.** **11-01**

(52) **U.S. Cl.** **D11/3**

(58) **Field of Classification Search** D26/2,
D26/36, 51, 79, 113, 138, 139, 154; D11/1-25;
63/1.11, 3, 3.1, 3.2, 5.1, 5.2, 7-11; 59/79.2,
59/78; 40/633, 726, 776, 617; 229/72, 92,
229/92.1, 300-303; 283/72, 74, 75, 103,
283/105, 106, 449; D20/10, 11, 22, 27, 40,
D20/42

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,073,280	A *	3/1937	Lederer	40/633
2,954,621	A *	10/1960	Mosher, Jr. et al.	40/633
3,106,028	A *	10/1963	Baumgartner	40/633
3,330,057	A *	7/1967	Rodgers	40/633
3,645,023	A *	2/1972	Larson	40/633
3,656,247	A *	4/1972	Bushnell et al.	40/633
3,800,450	A *	4/1974	Laugherty et al.	40/633
3,889,411	A *	6/1975	Laugherty et al.	40/633
3,965,589	A *	6/1976	McDermott	40/633
D255,668	S *	7/1980	Sidders et al.	D11/4
4,226,036	A *	10/1980	Krug	40/633
4,499,680	A *	2/1985	Coburn	40/304
4,906,025	A *	3/1990	Schreindl	281/45
5,092,067	A *	3/1992	Prout	40/633
5,493,805	A *	2/1996	Penuela et al.	40/633
5,603,231	A *	2/1997	Abraham	63/3
5,605,262	A *	2/1997	Bond	224/179
5,657,645	A *	8/1997	Abraham	63/3
5,740,623	A *	4/1998	Juhan et al.	40/633
D414,130	S *	9/1999	Rutler	D11/5

5,973,600	A *	10/1999	Mosher, Jr.	340/572.8
6,016,618	A *	1/2000	Attia et al.	40/633
6,192,554	B1 *	2/2001	Dumcum	24/16 PB
6,510,988	B1 *	1/2003	Kraus	235/382
2003/0173408	A1 *	9/2003	Mosher et al.	235/492
2004/0169635	A1 *	9/2004	Ghassabian	345/156
2004/0244251	A1 *	12/2004	Riley	40/633

(Continued)

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Platinum Patents; Jordan Kuhn

(57) **CLAIM**

The ornamental design for an illuminating wristband, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the wrist band having an inner illuminating region showing our new design, wherein the inner illuminating region is in an illuminating state;

FIG. 2 is an enlarged sectional view of the wrist band thereof; and

FIG. 3 is a perspective view of the wrist band thereof.


FIG. 4 is a top view of the wrist band having an inner illuminating region showing our new design, wherein the inner illuminating region is not illuminated;

FIG. 5 is an enlarged sectional view of the wrist band thereof; and,

FIG. 6 is a perspective view of the wrist band thereof.

All broken lines are directed to environment and are for illustrative purposes only. None of the broken lines form a part of the claimed design. The wrist band has been shown broken away in areas to indicate no specific length is being claimed. The radiating lines in FIGS. 1-3 indicate illumination. The dark shading in FIGS. 4-6 compared to the same region shown unshaded in FIGS. 1-3 indicates a contrast in appearance between unlit and lit regions, and does not depict any particular color, texture, or material.

1 Claim, 6 Drawing Sheets




US D670,188 S

Page 2

U.S. PATENT DOCUMENTS			
2005/0066563	A1 *	3/2005	Juhan et al. 40/633
2005/0108912	A1 *	5/2005	Bekker 40/633
2005/0168340	A1 *	8/2005	Mosher et al. 340/572.8
2005/0213343	A1 *	9/2005	Jablonski 362/602
* cited by examiner			

FIG. 1






FIG. 2

FIG. 3





FIG. 4






FIG. 5

FIG. 6

