



US00D670253S

(12) **United States Design Patent**
Strong et al.

(10) **Patent No.:** **US D670,253 S**

(45) **Date of Patent:** **** Nov. 6, 2012**

(54) **PROTECTIVE DEVICE**

(75) Inventors: **James Alan Strong**, Olean, NY (US);
David R. Miller, Allegany, NY (US)

(73) Assignee: **Cooper Technologies Company**,
Houston, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/394,201**

(22) Filed: **Jun. 14, 2011**

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/150**

(58) **Field of Classification Search** D13/133,
D13/149-156, 199; 439/127, 135, 146, 246,
439/364, 892, 901; 174/5 R, 50, 66
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D127,509 S * 5/1941 Sears D13/120
D197,009 S * 12/1963 Hoffman D13/150

D233,992 S * 12/1974 Marr et al. D13/150
D330,011 S * 10/1992 Miller et al. D13/150
D366,866 S * 2/1996 Whitehead et al. D13/151
D502,923 S * 3/2005 Thompson et al. D13/150

* cited by examiner

Primary Examiner — Thomas Johannes

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.


(57) **CLAIM**

The ornamental design for a protective device, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front, perspective view of a protective device showing our new design;
FIG. 2 is a front view thereof, with the back, left, and right views being identical thereto;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof; and,
FIG. 5 a bottom perspective view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5