



US00D670422S

(12) **United States Design Patent**  
**Siekmann**

(10) **Patent No.:** **US D670,422 S**

(45) **Date of Patent:** **\*\* Nov. 6, 2012**

(54) **LAMP**

(75) Inventor: **Ulrich-Wilhelm Siekmann, Löhne (DE)**

(73) Assignee: **Siematic Möbelwerke GmbH & Co. KG (DE)**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/392,382**

(22) Filed: **May 20, 2011**

(30) **Foreign Application Priority Data**

Nov. 23, 2010 (EM) ..... 0001246177

(51) **LOC (9) Cl.** ..... **26-03**

(52) **U.S. Cl.** ..... **D26/80; D26/76**

(58) **Field of Classification Search** ..... D26/75-78,  
D26/80, 87, 92; 362/133, 217.01, 217.02,  
362/217.04, 217.05, 217.06, 217.07, 217.1,  
362/218, 294, 373, 432

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D146,983 S *	6/1947	Phillips	.....	D12/44
D192,876 S *	5/1962	Meyer	.....	D26/76
D203,060 S *	11/1965	Schaefer	.....	D26/76
D247,756 S *	4/1978	Nagelkerke	.....	D26/77
D337,844 S *	7/1993	Poirier	.....	D26/76
D421,146 S *	2/2000	Poulton	.....	D26/76
D468,473 S *	1/2003	Shemitz et al.	.....	D26/76
D470,262 S *	2/2003	Yiu	.....	D26/76
D512,526 S *	12/2005	Zucker	.....	D26/76
D547,897 S *	7/2007	Willmorth et al.	.....	D26/76

D581,079 S *	11/2008	Mier-Langner	.....	D26/72
D584,444 S *	1/2009	Lipson	.....	D26/85
D595,445 S *	6/2009	Gunter	.....	D26/76

\* cited by examiner

*Primary Examiner* — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Bourque and Associates, PA

(57) **CLAIM**

The ornamental design for a lamp, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom perspective view of the ornamental design for a lamp according to one embodiment of the present invention;

FIG. 2 is a top perspective view of the lamp thereof;

FIG. 3 is a bottom view of the lamp thereof;

FIG. 4 is a top view of the lamp thereof;

FIG. 5 is a front view of the lamp thereof;

FIG. 6 is a back view of the lamp thereof;


FIG. 7 is a right side view of the lamp thereof, the left side view being a mirror image thereof;

FIG. 8 is a bottom perspective view of the lamp according to a second embodiment of the present invention, the remaining views being the same as those shown and described above;

FIG. 9 is a perspective view of the lamp according to a third embodiment of the present invention, the remaining views being the same as those shown and described above; and,

FIG. 10 is a perspective view of the lamp according to a fourth embodiment of the present invention, the remaining views being the same as those shown and described above.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10