



US00D670426S

(12) **United States Design Patent**
Bouroullec et al.

(10) **Patent No.:** **US D670,426 S**
(45) **Date of Patent:** **** Nov. 6, 2012**

(54) **LIGHTING DEVICE**

(75) Inventors: **Erwan Bouroullec**, Brescia (IT); **Ronan Bouroullec**, Brescia (IT)

(73) Assignee: **FLOS, S.p.A.**, Brescia (IT)

(**) Term: **14 Years**

(21) Appl. No.: **29/404,871**

(22) Filed: **Oct. 26, 2011**

(30) **Foreign Application Priority Data**

Apr. 28, 2011 (IT) BS2011O0017

(51) **LOC (9) Cl.** **26-99**

(52) **U.S. Cl.** **D26/118**

(58) **Field of Classification Search** D26/113,

D26/71, 72, 73, 74, 75, 76, 78, 122, 121,
D26/120, 119, 118, 1, 80, 86, 87, 88, 89,
D26/90, 35, 36, 85, 62, 61, 63, 64, 65, 66,
D26/67, 68, 28, 31, 24, 25, 26, 60, 103, 104,
D26/105, 106, 109, 110, 93, 138, 140, 141,
D26/142, 143, 144, 145, 152, 153, 154, 155,
D26/41, 42, 51, 52, 50, 37, 128, 123, 124,
D26/125, 129, 131, 134, 135, 136, 2, 3; D13/179,
D13/180; D8/354, 382, 373, 377; 362/373,
362/294.02, 218, 510, 516, 410, 183, 396,
362/130, 190, 249.07, 249.09, 249.1, 249.11,
362/285, 413, 287, 220, 418, 419, 92, 249.08,
362/205, 184, 260, 399, 398, 397, 258, 374,
362/375, 216, 558, 561, 354, 249.06, 249.05,
362/132, 133, 249.03, 223, 241, 345, 327,
362/217.05, 247, 224, 297; 52/455; D25/124,
D25/125, 60, 119; 349/113, 61, 59, 60, 62,
349/64, 65, 67, 66; 248/558, 339, 557; 438/15;
345/102; D12/406; D10/114.1, 111; D11/145,
D11/144, 125, 121; 428/11; 257/96, 97,
257/98, 99

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D118,671 S * 1/1940 Mielziner D26/63
D123,763 S * 12/1940 Rieland D26/67
2,243,712 A * 5/1941 Levy 362/275
D127,833 S * 6/1941 Price D26/63
D134,595 S * 12/1942 Van Es D26/63
3,179,791 A * 4/1965 Mole 362/283

(Continued)

Primary Examiner — Kevin Rudzinski

(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce,
PLC

(57) **CLAIM**

The ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of the new design for a lighting device;

FIG. 2 is a left side elevational view of the lighting device shown in FIG. 1;

FIG. 3 is a right side elevational view of the lighting device shown in FIG. 1;

FIG. 4 is a front elevational view of the lighting device shown in FIG. 1;


FIG. 5 is a rear elevational view of the lighting device shown in FIG. 1;

FIG. 6 is an enlarged top plan view of the lighting device shown in FIG. 1; and,

FIG. 7 is an enlarged bottom plan view of the lighting device shown in FIG. 1.

The broken lines shown in the drawings illustrate environment of the lighting device that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



Page 2

D224,233	S	*	7/1972	Fujita	D14/371
3,808,081	A	*	4/1974	Okuhara et al.	362/142
D231,679	S	*	5/1974	Keller	D26/87
D231,680	S	*	5/1974	Keller	D26/68
D232,858	S	*	9/1974	Husby	D26/71
3,838,858	A	*	10/1974	Tummescheit	463/22
D234,218	S	*	1/1975	Donato	D26/65
D246,202	S	*	10/1977	Oppermann	D26/112
D260,299	S	*	8/1981	D'Ercoli	D26/63
D271,241	S	*	11/1983	Vrignaud	D26/85
D395,715	S	*	6/1998	Queen	D26/24
D395,724	S	*	6/1998	Compton	D26/67
D407,518	S	*	3/1999	Yeh	D26/63
D420,754	S	*	2/2000	Huang	D26/27
D427,696	S	*	7/2000	Scott et al.	D26/28
D439,686	S	*	3/2001	Petterson et al.	D26/26
D440,330	S	*	4/2001	Scott et al.	D26/28
D459,504	S	*	6/2002	Chen	D26/26
D468,477	S	*	1/2003	Landefeld et al.	D26/104
D479,757	S	*	9/2003	Fickas et al.	D26/128
D481,489	S	*	10/2003	Cline et al.	D26/128
D482,476	S	*	11/2003	Kwong	D26/63

6,644,834	B2 *	11/2003	Christen	362/311.09
D484,272	S *	12/2003	Lay et al.	D26/113
D507,373	S *	7/2005	Kim	D26/80
D507,668	S *	7/2005	Kwong	D26/24
D523,569	S *	6/2006	Funck et al.	D26/26
D524,979	S *	7/2006	Leung	D26/104
D525,375	S *	7/2006	Funck et al.	D26/26
D536,479	S *	2/2007	Rugee	D26/137
D563,594	S *	3/2008	Held	D26/118
D588,735	S *	3/2009	Woodard	D26/61
D590,980	S *	4/2009	Sabernig	D26/63
D590,981	S *	4/2009	Sabernig	D26/63
D604,887	S *	11/2009	Sanoner	D26/105
D605,337	S *	12/2009	Zhang et al.	D26/93
D614,325	S *	4/2010	Mier-Langner et al.	D26/26
D616,128	S *	5/2010	Sanoner	D26/67
D620,179	S *	7/2010	Sabernig	D26/84
D632,005	S *	2/2011	Munstermann	D26/113
D645,598	S *	9/2011	Sabernig	D26/65
D646,429	S *	10/2011	Sabernig	D26/128
2002/0030991	A1 *	3/2002	Victor	362/226
2003/0043580	A1 *	3/2003	Hsu	362/249

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 3




FIG. 6




FIG. 7