

US00D670582S

(12) **United States Design Patent**  
**Matuschek et al.**

(10) **Patent No.:** **US D670,582 S**  
(45) **Date of Patent:** **\*\* Nov. 13, 2012**

(54) **LASER DISTANCE MEASUREMENT DEVICE**

*Primary Examiner* — Antoine D Davis

(75) Inventors: **Walter Matuschek**, Aalen (DE);  
**Graham Keevy**, Aalen (DE)

(74) *Attorney, Agent, or Firm* — Crowell & Moring LLP

(73) Assignee: **Hilti Aktiengesellschaft**, Schaan (LI)

(57) **CLAIM**

(\*\*) Term: **14 Years**

The ornamental design for a laser distance measurement device, as shown and described.

(21) Appl. No.: **29/393,486**

(22) Filed: **Jun. 6, 2011**

**DESCRIPTION**

(30) **Foreign Application Priority Data**

Dec. 7, 2010 (WO) ..... DM/075 084

(51) **LOC (9) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/70; D10/78**

(58) **Field of Classification Search** ..... D10/78,  
D10/70; 324/72.5, 556, 133, 149, 503, 543,  
324/555, 66, 72, 754, 115, 141; 340/635,  
340/687; 73/597, 615, 624, 627, 644;  
356/3.01–5.15

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |      |         |                      |          |
|--------------|------|---------|----------------------|----------|
| 6,324,888    | B1 * | 12/2001 | Schmidt et al.       | 73/1.79  |
| 7,075,626    | B2 * | 7/2006  | Schmidt et al.       | 356/5.09 |
| D538,690     | S *  | 3/2007  | Baumgaertner         | D10/70   |
| D539,680     | S *  | 4/2007  | Liu et al.           | D10/70   |
| 7,221,435    | B2 * | 5/2007  | Stierle et al.       | 356/4.01 |
| D576,895     | S *  | 9/2008  | Burkandt             | D10/70   |
| D589,826     | S *  | 4/2009  | Kiesel               | D10/70   |
| D590,281     | S *  | 4/2009  | Kiesel               | D10/70   |
| D594,359     | S *  | 6/2009  | Aglassinger          | D10/70   |
| D594,360     | S *  | 6/2009  | Aglassinger          | D10/70   |
| D607,352     | S *  | 1/2010  | Hackenberg           | D10/70   |
| D607,353     | S *  | 1/2010  | Hackenberg           | D10/70   |
| D636,282     | S *  | 4/2011  | Yin et al.           | D10/70   |
| 8,102,515    | B2 * | 1/2012  | Skultety-Betz et al. | 356/4.01 |
| 8,111,382    | B2 * | 2/2012  | Wolf et al.          | 356/4.01 |
| 2010/0302527 | A1 * | 12/2010 | Gogolla et al.       | 356/4.01 |

\* cited by examiner

This application contains subject matter related to the following co-pending U.S. design patent application: Application Ser. No. 29/393,485, filed herewith and entitled “Laser Distance Measurement Device”.

FIG. 1 is a left, front perspective view of a first embodiment of a laser distance measurement device according to our design;

FIG. 2 is a left, rear perspective view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a left side view thereof, the right side view being mirror symmetrical;

FIG. 6 is a rear thereof;

FIG. 7 is a front view thereof; and,

FIG. 8 is a front, top perspective view thereof.

FIG. 9 is a left, front perspective view of a second embodiment of the laser distance measurement device according to our design;

FIG. 10 is a left, rear perspective view thereof;

FIG. 11 is a top view thereof;

FIG. 12 is a bottom view thereof;

FIG. 13 is a left side view thereof, the right side view being mirror symmetrical;


FIG. 14 is a rear thereof;

FIG. 15 is a front view thereof; and,

FIG. 16 is a front, top perspective view thereof.

The broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 16 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5



**FIG. 6**




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12






FIG. 13



**FIG. 14**



**FIG. 15**




FIG. 16