



US00D671017S

(12) **United States Design Patent**
Petrucelli et al.

(10) **Patent No.:** **US D671,017 S**
(45) **Date of Patent:** **** Nov. 20, 2012**

(54) **COMBINATION TIRE TEMPERATURE AND PRESSURE GAUGE**

(75) Inventors: **Steven Petrucelli**, Cranbury, NJ (US);
Mark Kuskovsky, Monroe Township, NJ (US)

(73) Assignee: **Measurement Ltd.**, Grand Cayman (KY)

(**) Term: **14 Years**

(21) Appl. No.: **29/405,270**

(22) Filed: **Oct. 31, 2011**

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.** **D10/57; D10/86**

(58) **Field of Classification Search** D10/57,
D10/86; 73/732, 744, 742, 717, 741, 146.3,
73/146.8

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,631,831	A	12/1986	Bacher et al.	
4,970,894	A	11/1990	Huang	
D317,880	S	7/1991	Meehan	
D338,412	S	* 8/1993	Curbbun D10/57
D366,846	S	2/1996	Handfield et al.	
D390,140	S	2/1998	Germanton	
D395,835	S	7/1998	Okuyama et al.	
5,883,306	A	3/1999	Hwang	
5,895,845	A	4/1999	Burger	
D409,509	S	5/1999	Petrucelli et al.	
D409,931	S	5/1999	Petrucelli et al.	
5,987,978	A	11/1999	Whitehead	
D440,893	S	4/2001	Van Zeyl	
D440,894	S	4/2001	Van Zeyl	
D440,895	S	4/2001	Van Zeyl	
D441,674	S	5/2001	Van Zeyl	
D447,970	S	9/2001	Cappiello et al.	
D450,257	S	11/2001	Bressler et al.	
D455,666	S	4/2002	Cappiello et al.	
D459,257	S	6/2002	Petrucelli	

D459,668	S	7/2002	Petrucelli	
D462,627	S	9/2002	Petrucelli	
6,634,223	B2	10/2003	Hartmann et al.	
D493,733	S	* 8/2004	Chen D10/57
7,010,969	B1	3/2006	Huang	
D522,894	S	6/2006	Stowers et al.	
D524,669	S	7/2006	Stowers et al.	
D526,229	S	8/2006	Stowers et al.	
D526,589	S	8/2006	Stowers et al.	
D526,922	S	8/2006	Stowers et al.	
D528,934	S	9/2006	Stowers et al.	
D534,092	S	12/2006	Kuskovsky	
D564,383	S	3/2008	Petrucelli et al.	

(Continued)

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Howard IP Law Group, PC

(57) **CLAIM**

The ornamental design for a combination tire temperature and pressure gauge, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combination tire temperature and pressure gauge showing our new design, according to an embodiment of the invention;

FIG. 2 is a left side view of the combination tire temperature and pressure gauge of FIG. 1;

FIG. 3 is a right side view of the combination tire temperature and pressure gauge of FIG. 1;

FIG. 4 is a front view of the combination tire temperature and pressure gauge of FIG. 1;


FIG. 5 is a rear view of the combination tire temperature and pressure gauge of FIG. 1;

FIG. 6 is a top view of the combination tire temperature and pressure gauge of FIG. 1; and,

FIG. 7 is a bottom view of the combination tire temperature and pressure gauge of FIG. 1.

The matter shown in dashed lines, including the tread depth measuring rod and slideable control, is environmental structure and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D671,017 S

Page 2

U.S. PATENT DOCUMENTS

D596,970 S 7/2009 Petrucelli
D603,733 S 11/2009 Stowers et al.
D606,435 S 12/2009 Zheng
D631,766 S 2/2011 Petrucelli

D631,768 S 2/2011 Petrucelli et al.
7,928,960 B2 4/2011 Baldo et al.
D648,236 S 11/2011 Rodrig

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7