



US00D671017S

(12) **United States Design Patent**
Petrucelli et al.

(10) **Patent No.:** **US D671,017 S**
(45) **Date of Patent:** **** Nov. 20, 2012**

(54) **COMBINATION TIRE TEMPERATURE AND PRESSURE GAUGE**

(75) Inventors: **Steven Petrucelli**, Cranbury, NJ (US);
Mark Kuskovsky, Monroe Township, NJ (US)

(73) Assignee: **Measurement Ltd.**, Grand Cayman (KY)

(**) Term: **14 Years**

(21) Appl. No.: **29/405,270**

(22) Filed: **Oct. 31, 2011**

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.** **D10/57; D10/86**

(58) **Field of Classification Search** D10/57,
D10/86; 73/732, 744, 742, 717, 741, 146.3,
73/146.8

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|---|----------|-------------------|--------------|
| 4,631,831 | A | 12/1986 | Bacher et al. | |
| 4,970,894 | A | 11/1990 | Huang | |
| D317,880 | S | 7/1991 | Meehan | |
| D338,412 | S | * 8/1993 | Curbbun | D10/57 |
| D366,846 | S | 2/1996 | Handfield et al. | |
| D390,140 | S | 2/1998 | Germanton | |
| D395,835 | S | 7/1998 | Okuyama et al. | |
| 5,883,306 | A | 3/1999 | Hwang | |
| 5,895,845 | A | 4/1999 | Burger | |
| D409,509 | S | 5/1999 | Petrucelli et al. | |
| D409,931 | S | 5/1999 | Petrucelli et al. | |
| 5,987,978 | A | 11/1999 | Whitehead | |
| D440,893 | S | 4/2001 | Van Zeyl | |
| D440,894 | S | 4/2001 | Van Zeyl | |
| D440,895 | S | 4/2001 | Van Zeyl | |
| D441,674 | S | 5/2001 | Van Zeyl | |
| D447,970 | S | 9/2001 | Cappiello et al. | |
| D450,257 | S | 11/2001 | Bressler et al. | |
| D455,666 | S | 4/2002 | Cappiello et al. | |
| D459,257 | S | 6/2002 | Petrucelli | |

| | | | | |
|-----------|----|----------|-------------------|--------------|
| D459,668 | S | 7/2002 | Petrucelli | |
| D462,627 | S | 9/2002 | Petrucelli | |
| 6,634,223 | B2 | 10/2003 | Hartmann et al. | |
| D493,733 | S | * 8/2004 | Chen | D10/57 |
| 7,010,969 | B1 | 3/2006 | Huang | |
| D522,894 | S | 6/2006 | Stowers et al. | |
| D524,669 | S | 7/2006 | Stowers et al. | |
| D526,229 | S | 8/2006 | Stowers et al. | |
| D526,589 | S | 8/2006 | Stowers et al. | |
| D526,922 | S | 8/2006 | Stowers et al. | |
| D528,934 | S | 9/2006 | Stowers et al. | |
| D534,092 | S | 12/2006 | Kuskovsky | |
| D564,383 | S | 3/2008 | Petrucelli et al. | |

(Continued)

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Howard IP Law Group, PC

(57) **CLAIM**

The ornamental design for a combination tire temperature and pressure gauge, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combination tire temperature and pressure gauge showing our new design, according to an embodiment of the invention;

FIG. 2 is a left side view of the combination tire temperature and pressure gauge of FIG. 1;

FIG. 3 is a right side view of the combination tire temperature and pressure gauge of FIG. 1;

FIG. 4 is a front view of the combination tire temperature and pressure gauge of FIG. 1;


FIG. 5 is a rear view of the combination tire temperature and pressure gauge of FIG. 1;

FIG. 6 is a top view of the combination tire temperature and pressure gauge of FIG. 1; and,

FIG. 7 is a bottom view of the combination tire temperature and pressure gauge of FIG. 1.

The matter shown in dashed lines, including the tread depth measuring rod and slideable control, is environmental structure and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D671,017 S

Page 2

U.S. PATENT DOCUMENTS

D596,970 S 7/2009 Petrucelli
D603,733 S 11/2009 Stowers et al.
D606,435 S 12/2009 Zheng
D631,766 S 2/2011 Petrucelli

D631,768 S 2/2011 Petrucelli et al.
7,928,960 B2 4/2011 Baldo et al.
D648,236 S 11/2011 Rodrig

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7