



US00D671500S

(12) **United States Design Patent**
Kettern et al.

(10) **Patent No.:** **US D671,500 S**
(45) **Date of Patent:** **** Nov. 27, 2012**

(54) **ELECTRICAL CONNECTOR WITH A LOCK
AND RELEASE AID**

(75) Inventors: **Markus Kettern**, Lemgo (DE);
Alexander Bender, Lemgo (DE)

(73) Assignee: **Phoenix Contact GmbH & Co. KG**,
Blomberg (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/402,418**

(22) Filed: **Sep. 23, 2011**

(30) **Foreign Application Priority Data**

Mar. 25, 2011 (EM) 001840968

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/149**

(58) **Field of Classification Search** D13/133,
D13/146, 147, 149, 151, 153, 154, 184, 199;
439/409, 412, 417, 441, 709, 715, 716, 717,
439/721, 729, 835, 260, 329, 492, 495, 570,
439/68, 73, 135, 331, 526, 862; 361/823

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,474,461	A	*	12/1995	Saito et al.		439/157
D459,702	S	*	7/2002	Watanabe		D13/147
D500,989	S	*	1/2005	Stadler		D13/149
D505,921	S	*	6/2005	Ma		D13/149
D509,476	S	*	9/2005	Ma et al.		D13/149
D533,509	S	*	12/2006	Wu		D13/149
D575,230	S	*	8/2008	Bishop et al.		D13/133
D625,270	S	*	10/2010	Schafmeister		D13/147

D637,965	S	*	5/2011	Canning		D13/154
D637,971	S	*	5/2011	Canning		D13/154
D637,973	S	*	5/2011	Canning		D13/154
D637,975	S	*	5/2011	Canning		D13/154

OTHER PUBLICATIONS

Copending U.S. Appl. No. 29/402,399, filed Sep. 23, 2011, entitled
“Lock and Release Aid for an Electrical Connector”.

Copending U.S. Appl. No. 29/402,417, filed Sep. 23, 2011, entitled
“Lock and Release Aid for an Electrical Connector”.

Copending U.S. Appl. No. 29/402,420, filed Sep. 23, 2011, entitled
“Electrical Connector With a Lock and Release Aid”.

* cited by examiner

Primary Examiner — Thomas Johannes

(74) *Attorney, Agent, or Firm* — Leydig, Voit & Mayer, Ltd.

(57) **CLAIM**

The ornamental design for a electrical connector with a lock
and release aid, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, and right side perspective view of an
electrical connector with a lock and release aid, showing our
new design;

FIG. 2 is a front elevation view thereof.

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a left side elevation view thereof;


FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a right side elevation view thereof.

The broken line portion of the figure drawings is included to
show unclaimed subject matter only and forms no part of the
claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7