



US00D671512S

(12) **United States Design Patent**
Bush et al.

(10) **Patent No.:** **US D671,512 S**
(45) **Date of Patent:** **** Nov. 27, 2012**

(54) **CONTROLLER BOX**

DESCRIPTION

(75) Inventors: **Shawn D. Bush**, Orlando, FL (US);
Ryan W. Nottage, Winter Springs, FL
(US); **Rock R. Allard, III**, Oviedo, FL
(US)

(73) Assignee: **SDB IP Holdings, LLC**, Orlando, FL
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/385,319**

(22) Filed: **Feb. 11, 2011**

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/184**

(58) **Field of Classification Search** D13/162,
D13/164, 177, 184; D14/142, 240; D23/303;
174/66; 165/209; 200/293, 308; 220/3.2,
220/3.3; 236/51; 361/600, 601, 622, 679.01;
700/17, 65, 83, 276

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D332,443 S * 1/1993 Sharpe D13/184
D376,350 S * 12/1996 Worley et al. D13/184

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — The Webb Law Firm

(57) **CLAIM**

The ornamental design for a controller box, as shown and described.

FIG. 1 is a frontwardly directed perspective view of a controller box in the closed position in accordance with the present invention.

FIG. 2 is a front view of the controller box of FIG. 1 in the closed position in accordance with the present invention.

FIG. 3 is a top view of the controller box of FIG. 1 in the closed position in accordance with the present invention.

FIG. 4 is a right side view of the controller box of FIG. 1 in the closed position in accordance with the present invention.

FIG. 5 is a left side view of the controller box of FIG. 1 in the closed position in accordance with the present invention.

FIG. 6 is a rear view of the controller box of FIG. 1 in the closed position in accordance with the present invention.

FIG. 7 is a bottom view of the controller box of FIG. 1 in the closed position in accordance with the present invention.

FIG. 8 is a frontwardly directed perspective view of the exterior surface of the controller box of FIG. 1 in the open position in accordance with the present invention.

FIG. 9 is a frontwardly directed perspective view of the interior surface of the controller box of FIG. 1 in the open position in accordance with the present invention.

FIG. 10 is a front view of the controller box of FIG. 1 in the open position in accordance with the present invention.

FIG. 11 is a top view of the controller box of FIG. 1 in the open position in accordance with the present invention.


FIG. 12 is a right side view of the controller box of FIG. 1 in the open position in accordance with the present invention.

FIG. 13 is a left side view of the controller box of FIG. 1 in the open position in accordance with the present invention.

FIG. 14 is a rear view of the controller box of FIG. 1 in the open position in accordance with the present invention; and,

FIG. 15 is a bottom view of the controller box of FIG. 1 in the open position in accordance with the present invention.

1 Claim, 10 Drawing Sheets



US D671,512 S

Page 2

U.S. PATENT DOCUMENTS

D380,199	S	*	6/1997	Beruscha et al.	D13/184	
D382,941	S	*	8/1997	Nortier	D23/249	
D402,275	S	*	12/1998	Korhonen	D13/184	
D405,766	S	*	2/1999	Hartel et al.	D13/184	
							* cited by examiner
D468,272	S	*	1/2003	Parsadayan et al.	D13/162	
D482,008	S	*	11/2003	Petronio	D13/184	
D533,511	S	*	12/2006	Nakashima et al.	D13/164	
D600,653	S	*	9/2009	Lin et al.	D13/164	




FIG. 1




FIG.2




FIG.3




FIG. 4




FIG. 5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG. 11




FIG. 15




FIG. 12




FIG. 13




FIG.14