

(12) United States Design Patent US D671,862 S (10) Patent No.: Metsker (45) **Date of Patent: Dec.** 4, 2012 **

MAGNETIC BUCKLE (54)

- Brian Metsker, Ozark, MO (US) (75)Inventor:
- Assignee: Advantage Pro Sports, LLC, Ozark, (73)MO (US)
- (**)14 Years Term:
- Appl. No.: 29/412,181 (21)

D552,014 S	*	10/2007	Chen et al.	D11/216
D580,820 S	*	11/2008	Daykin	D11/216
D622,179 S	*	8/2010	Frye	D11/216

* cited by examiner

Primary Examiner — Ralf Seifert (74) Attorney, Agent, or Firm — Lathrop & Gage LLP

CLAIM (57)An ornamental design for a magnetic buckle, as shown and

Jan. 31, 2012 (22)Filed:

- LOC (9) Cl. 02-07 (51)(52)Field of Classification Search D11/1–2, (58)
 - D11/200–201, 206–210, 214–218; 24/163 R, 24/169–171, 173, 177–179, 191, 194–195, 24/197, 200, 614–616, 625, 198

See application file for complete search history.

References Cited (56)

U.S. PATENT DOCUMENTS

D341,336 S	*	11/1993	Stathis D11/216
5,299,324 A		4/1994	Zinna
5,432,986 A		7/1995	Sexton
D393,818 S	*	4/1998	Krauss D11/216
D408,325 S	*	4/1999	Krauss D11/216
D511,714 S	*	11/2005	Pontaoe D11/216
D536,640 S	*	2/2007	Kawamura et al D11/216

described.

DESCRIPTION

FIG. 1 is a perspective view of one embodiment of a first buckle clasped with a second buckle of the magnetic buckle; FIG. 2 is a top plan view thereof;

FIG. 3 is a side elevation view of thereof, the opposing side being a mirror image;

FIG. 4 is a first end view of the first buckle, the first end view of the second buckle being a mirror image thereof; FIG. 5 is a bottom plan view of the first buckle and the second buckle;

FIG. 6 is a perspective view of the magnetic buckle with the first buckle unclasped from the second buckle; FIG. 7 is a second end view of the first buckle; and, FIG. 8 is a second end view of the second buckle.

1 Claim, 5 Drawing Sheets



U.S. Patent Dec. 4, 2012 Sheet 1 of 5 US D671,862 S



U.S. Patent Dec. 4, 2012 Sheet 2 of 5 US D671,862 S









U.S. Patent Dec. 4, 2012 Sheet 3 of 5 US D671,862 S









U.S. Patent Dec. 4, 2012 Sheet 4 of 5 US D671,862 S



U.S. Patent Dec. 4, 2012 Sheet 5 of 5 US D671,862 S









