



US00D671996S

(12) **United States Design Patent**
Wierszewski

(10) **Patent No.:** **US D671,996 S**
(45) **Date of Patent:** **** Dec. 4, 2012**

(54) **DUAL GRIP BARBELL**
(76) Inventor: **Norbert T. Wierszewski**, Dearborn, MI (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/406,552**
(22) Filed: **Nov. 16, 2011**
(51) **LOC (9) Cl.** **21-02**
(52) **U.S. Cl.** **D21/680; D21/681; D21/684**
(58) **Field of Classification Search** D21/662, D21/679, 680, 681, 682, 684, 686, 694; 482/8, 482/44, 91, 93, 95, 96, 104-110, 132, 141, 482/148
See application file for complete search history.

5,334,133 A 8/1994 Carroll
5,407,405 A 4/1995 Oren
5,580,336 A 12/1996 Coallier
5,716,305 A * 2/1998 Selsam 482/93
5,725,461 A 3/1998 Bogard, II
5,735,779 A 4/1998 Lay
6,022,300 A 2/2000 Hightower
6,217,504 B1 4/2001 Phillips
6,450,928 B1 9/2002 Larkins, Jr.
6,461,282 B1 10/2002 Fenelon
D480,438 S * 10/2003 Walkow D21/681
6,656,108 B1 12/2003 Spalding, Jr. et al.
6,971,974 B2 12/2005 Bowman et al.
7,014,598 B2 * 3/2006 Fenelon et al. 482/107
D520,575 S * 5/2006 Diakonov et al. D21/679
7,094,182 B1 * 8/2006 Holten 482/46

(Continued)

Primary Examiner — Susan E Krakower
(74) *Attorney, Agent, or Firm* — Gifford, Krass, Sprinkle, Anderson & Citkowski, P.C.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,384,370 A * 5/1968 Bailey et al. 482/106
4,029,312 A * 6/1977 Wright 482/108
4,461,473 A 7/1984 Cole
4,487,413 A 12/1984 Fall
4,618,143 A 10/1986 Twardosz
4,618,183 A 10/1986 Bauer
4,629,184 A 12/1986 Selkee
4,674,987 A 6/1987 Sober
4,690,400 A 9/1987 Metz
4,743,018 A 5/1988 Eckler
4,822,035 A 4/1989 Jennings et al.
D301,510 S * 6/1989 Orak D21/684
D303,697 S 9/1989 Pearson
RE33,218 E 5/1990 Twardosz
4,984,784 A 1/1991 Bailey
5,024,434 A 6/1991 Smith
5,080,349 A 1/1992 Vittone
D328,112 S 7/1992 Maddix et al.
5,211,616 A 5/1993 Riley, Jr.
5,334,113 A 8/1994 Roepke


(57) **CLAIM**

The ornamental design for a dual grip barbell, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from the top and front side of the dual grip barbell showing my new design;
FIG. 2 is a front view of the dual grip barbell in FIG. 1;
FIG. 3 is a back view of the dual grip barbell in FIG. 1;
FIG. 4 is a bottom view of the dual grip barbell in FIG. 1;
FIG. 5 is a top view of the dual grip barbell in FIG. 1;
FIG. 6 is an enlarged side view of the dual grip barbell in FIG. 1, shown enlarged for clarity of illustration; and,
FIG. 7 is an enlarged opposite side view of FIG. 6 showing the dual grip barbell in FIG. 1.

1 Claim, 2 Drawing Sheets



US D671,996 S

Page 2

U.S. PATENT DOCUMENTS

7,094,186	B2	8/2006	Diakonov et al.				
D532,465	S *	11/2006	Mills et al.	D21/680	D658,729	S *	5/2012 McLoughney D21/684
D535,336	S *	1/2007	Diakonov et al.	D21/679	D662,558	S *	6/2012 Lovegrove et al. D21/684
7,238,147	B2 *	7/2007	Mills et al.	482/106	2002/0128127	A1	9/2002 Chen
1,333,005	A1	1/2011	Warner		2003/0130096	A1	7/2003 LaCroce
7,862,486	B1	1/2011	Watson		2005/0003931	A1 *	1/2005 Mills et al. 482/5
7,878,952	B2 *	2/2011	Fenelon 482/93		2005/0202942	A1 *	9/2005 De Lano 482/107
D647,580	S *	10/2011	Cen D21/662		2008/0176723	A1	7/2008 Johnson

* cited by examiner




FIG. 1

FIG. 7

FIG. 6




FIG. 2




FIG. 3




FIG. 4




FIG. 5