

US00D672079S

(12) **United States Design Patent**
Kong et al.

(10) **Patent No.:** **US D672,079 S**
(45) **Date of Patent:** **** Dec. 4, 2012**

(54) **LED LIGHT**

(75) Inventors: **Kyung-Il Kong**, Seoul (KR); **Han Gyoul Kim**, Seoul (KR); **Hwayoung Kim**, Seoul (KR); **Ji Yeon Hyun**, Seoul (KR)

(73) Assignee: **LG Innotek Co., Ltd.**, Seoul (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/375,586**

(22) Filed: **Sep. 24, 2010**

(30) **Foreign Application Priority Data**

Mar. 25, 2010 (KR) 30-2010-0012994

(51) **LOC (9) Cl.** **26-05**

(52) **U.S. Cl.** **D26/74**

(58) **Field of Classification Search** D26/72,
D26/74, 75, 76, 77, 78, 79, 80, 81, 82, 83,
D26/84, 85, 88, 89, 90, 122; 362/145, 146,
362/147, 148, 150, 151, 152, 153, 153.1,
362/217.01, 217.02, 217.05, 217.06, 217.07,
362/217.08, 217.09, 217.1, 217.11, 249.02,
362/260, 296.07, 311.02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D407,473 S * 3/1999 Wimbock D23/328
5,988,829 A * 11/1999 Holder 362/223
6,523,974 B2 * 2/2003 Engel 362/224
D496,121 S * 9/2004 Santoro D26/74
D579,598 S * 10/2008 Santoro D26/76
D593,246 S * 5/2009 Fowler et al. D26/76
D602,625 S * 10/2009 Santoro D26/76

D611,183 S * 3/2010 Duarte D26/76
D611,644 S * 3/2010 Tsai D26/77
D633,247 S * 2/2011 Kong et al. D26/88
D653,376 S * 1/2012 Kong et al. D26/76
8,128,256 B2 * 3/2012 Kim et al. 362/235
2007/0211457 A1 * 9/2007 Mayfield et al. 362/223
* cited by examiner

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — KED & Associates LLP

(57) **CLAIM**

The ornamental design for a LED light, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a LED light according to an embodiment;

FIG. 2 is a front view of the LED light of FIG. 1;

FIG. 3 is a rear view of the LED light of FIG. 1;

FIG. 4 is a left side view of the LED light of FIG. 1;

FIG. 5 is a right side view of the LED light of FIG. 1;

FIG. 6 is a top view of the LED light of FIG. 1;

FIG. 7 is a bottom view of the LED light of FIG. 1;

FIG. 8 is a front, exploded perspective view of the LED light of FIG. 1 shown inverted;

FIG. 9 is a front exploded perspective view of the LED light of FIG. 1 shown inverted with one side of a frame omitted for clarity of illustration;

FIG. 10 is an enlarged, front perspective view of portion ten of FIG. 9;

FIG. 11 is a front perspective view of the LED light of FIG. 1 shown with one side of the frame omitted;

FIG. 12 is an enlarged, front perspective view of portion twelve of FIG. 11; and,

FIG. 13 is a front, exploded perspective view of the LED light of FIG. 1 shown inverted.

1 Claim, 7 Drawing Sheets




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7





Figure 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12

FIG. 13

