



US00D672099S

(12) **United States Design Patent**  
**Simms et al.**

(10) **Patent No.:** **US D672,099 S**

(45) **Date of Patent:** **\*\* Dec. 4, 2012**

(54) **PET TOY**

(76) Inventors: **Shian Simms**, San Francisco, CA (US);  
**Adrian J. Simms**, San Francisco, CA  
(US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/399,527**

(22) **Filed:** **Aug. 15, 2011**

(51) **LOC (9) Cl.** ..... **30-99**

(52) **U.S. Cl.** ..... **D30/160; D21/440**

(58) **Field of Classification Search** ..... D30/119,  
D30/160; D21/440; D1/199; 119/702, 706-711  
See application file for complete search history.

D603,111 S \* 10/2009 Hass ..... D30/160  
8,011,326 B2 \* 9/2011 del Pinal et al. .... 119/707  
D652,586 S \* 1/2012 Lee ..... D30/160  
D659,200 S \* 5/2012 Wicken ..... D21/440  
D659,915 S \* 5/2012 Letchford ..... D30/160  
D661,458 S \* 6/2012 Mingyun et al. .... D1/199  
2006/0266299 A1 \* 11/2006 DiAntonio ..... 119/708

\* cited by examiner

*Primary Examiner* — Cathy A MacCormac

(74) *Attorney, Agent, or Firm* — Ray K. Shahani, Esq.; Kin  
H. Lai

(57) **CLAIM**

We claim the ornamental design for a pet toy, as shown and  
described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D57,151 S \* 2/1921 Richert ..... D21/440  
1,527,046 A \* 2/1925 Ingram ..... D21/440  
1,847,415 A \* 3/1932 Snell ..... 294/5.5  
2,143,691 A \* 1/1939 Goldberg et al. .... 482/90  
3,250,241 A \* 5/1966 Levy et al. .... 116/63 R  
D266,915 S \* 11/1982 Metzinger ..... D21/440  
D313,253 S \* 12/1990 Yamada ..... D21/440  
5,045,014 A \* 9/1991 Harkins ..... D30/160  
5,117,344 A \* 5/1992 Perez ..... 362/352  
D336,037 S \* 6/1993 Lippens ..... D21/440  
D355,624 S \* 2/1995 Wiegand ..... D21/440  
D371,574 S \* 7/1996 Barton et al. .... D19/2  
D426,036 S \* 5/2000 Willinger et al. .... D30/160  
7,077,553 B2 \* 7/2006 Vanderschuit ..... 362/565

**DESCRIPTION**

FIG. 1 is a bottom perspective view of our new design show-  
ing the tether in a flexible position;  
FIG. 2 is a top perspective view thereof;  
FIG. 3 is a bottom view thereof;  
FIG. 4 is a top end view thereof showing the tether in an  
alternative flexible position;  
FIG. 5 is a left side view thereof showing the tether in a rigid  
position; and,  
FIG. 6 is a right side view thereof.

**1 Claim, 6 Drawing Sheets**






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

