



US00D672179S

(12) **United States Design Patent**  
**Lin**

(10) **Patent No.:** **US D672,179 S**  
(45) **Date of Patent:** **\*\* Dec. 11, 2012**

(54) **ROMAN SHADE HAVING SPACER CORDS WITH LOOPS**

7,938,161 B2 5/2011 Lin  
8,020,602 B2 9/2011 Smith et al.  
D651,438 S 1/2012 Lin

(75) Inventor: **Tzong-Fu Lin**, Taipei (TW)

**OTHER PUBLICATIONS**

(73) Assignee: **Whole Space Industries Ltd**, Taipei (TW)

U.S. Appl. No. 61/289,548, filed Dec. 23, 2009.

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner* — Susan Bennett Hattan

*Assistant Examiner* — Barbara B Lohr

(21) Appl. No.: **29/419,590**

(74) *Attorney, Agent, or Firm* — Buchanan Ingersoll & Rooney PC

(22) Filed: **Apr. 30, 2012**

(57) **CLAIM**

The ornamental design for a roman shade having spacer cords with loops, as shown and described.

**Related U.S. Application Data**

**DESCRIPTION**

(63) Continuation of application No. 29/381,961, filed on Dec. 27, 2010.

(51) **LOC (9) Cl.** ..... **06-10**

(52) **U.S. Cl.** ..... **D6/575**

(58) **Field of Classification Search** ..... D6/575-581;  
160/84.04, 84.06, 89, 107, 111, 113, 130,  
160/168.1 R, 176.1 R, 178.3, 179, 180, 181,  
160/199, 79, 348, 237, 279

See application file for complete search history.

FIG. 1 is a front view of the roman shade having spacer cords with loops in a partially raised, or retracted, position; FIG. 2 is a rear view of the roman shade having spacer cords with loops in a partially raised, or retracted, position; FIG. 3 is a rear perspective view of the roman shade having spacer cords with loops in an extended, or lowered, position; FIG. 4 is a top view thereof; FIG. 5 is a bottom view thereof; FIG. 6 is a left side view of the roman shade having spacer cords with loops in an extended position; FIG. 7 is a right side view of the roman shade having spacer cords with loops in an extended position; and, FIG. 8 is an enlarged view of the portion of the roman shade having spacer cords with loops within the dotted line box in FIG. 2.


The hitches shown in broken line in FIGS. 2, 3, 6, 7 and 8 form no part of the claimed design.


(56) **References Cited**


**U.S. PATENT DOCUMENTS**

4,880,044	A	11/1989	Judkins	
5,566,735	A	10/1996	Jelic	
D440,093	S	4/2001	Siegel et al.	
D502,625	S *	3/2005	Smith et al.	D6/575
6,988,526	B2	1/2006	Judkins	
D533,003	S *	12/2006	Yu et al.	D6/575
D564,821	S *	3/2008	Yu et al.	D6/575
D568,082	S *	5/2008	Bohlen	D6/575
D568,662	S *	5/2008	Bohlen	D6/575

**1 Claim, 6 Drawing Sheets**










FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D672,179 S  
APPLICATION NO. : 29/419590  
DATED : December 11, 2012  
INVENTOR(S) : Tzong Fu Lin

Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Please replace drawing sheets 2 of 6 (Figure 2), 3 of 6 (Figure 3), 5 of 6 (Figures 6 and 7) and 6 of 6 (Figure 8) with the drawing sheets attached hereto.

Signed and Sealed this  
Fifth Day of February, 2013



Teresa Stanek Rea  
*Acting Director of the United States Patent and Trademark Office*






FIG. 2




FIG. 3



FIG. 6




FIG. 7




FIG. 8