



US00D672198S

(12) **United States Design Patent**
Soltz et al.

(10) **Patent No.:** **US D672,198 S**

(45) **Date of Patent:** **** Dec. 11, 2012**

(54) **BOTTLE WITH RESILIENT SLEEVE**

(75) Inventors: **Tal Soltz**, San Francisco, CA (US);
Imraan Aziz, Oakland, CA (US)

(73) Assignee: **Tali Corp.**, San Francisco, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/422,687**

(22) Filed: **May 23, 2012**

Related U.S. Application Data

(62) Division of application No. 29/378,299, filed on Nov. 2, 2010.

(51) **LOC (9) Cl.** **07-01**

(52) **U.S. Cl.** **D7/510; D7/511; D7/507**

(58) **Field of Classification Search** D7/511,
D7/500, 509, 510; D9/531, 443, 435, 434,
D9/668, 503, 445, 439; 216/520; 215/200;
220/703, 710.5, 711

See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

5,454,482	A	10/1995	Simon	
D364,314	S	11/1995	Humphrey et al.	
D364,315	S	11/1995	Humphrey et al.	
D364,316	S	11/1995	Humphrey et al.	
D366,987	S	2/1996	Allegre	
5,927,524	A	7/1999	Miller	
D458,134	S *	6/2002	Berish et al.	D9/443
D476,231	S *	6/2003	Paquette	D9/439
6,772,891	B1	8/2004	Song	
6,783,020	B2	8/2004	Featherston et al.	
7,152,750	B2	12/2006	Coffey	
D547,611	S	7/2007	Seum et al.	
D550,562	S *	9/2007	Yew	D9/538
D554,000	S *	10/2007	Walsh	D9/772
D559,622	S	1/2008	Carreno	
7,337,915	B1	3/2008	Weldon	

D572,585	S *	7/2008	Perrin et al.	D9/443
D584,623	S *	1/2009	Chupak	D9/500
7,591,393	B2	9/2009	Crudgington, Jr.	
D616,744	S *	6/2010	Cresswell et al.	D9/443
D626,416	S *	11/2010	Cresswell et al.	D9/503
D627,601	S *	11/2010	Eyal	D7/510
D628,486	S *	12/2010	Lane	D9/503
D632,524	S *	2/2011	Rosbach et al.	D7/511
D635,457	S *	4/2011	Lane	D9/503
D638,708	S *	5/2011	Walsh	D9/500
D647,369	S *	10/2011	Bryman et al.	D7/507
D647,407	S *	10/2011	Toh et al.	D9/688
2006/0169860	A1	8/2006	Alzheimer	
2008/0047967	A1	2/2008	Brunner et al.	
2009/0057257	A1	3/2009	Marcus et al.	

* cited by examiner

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — William A. Loginov;
Loginov & Associates, PLLC


(57) **CLAIM**

The ornamental design for a bottle with resilient sleeve, substantially as shown.

DESCRIPTION

FIG. 1 is a perspective view of a bottle with resilient sleeve, according to a first embodiment;
FIG. 2 is a front view of the bottle with resilient sleeve, according to the embodiment;
FIG. 3 is a rear view of the bottle with resilient sleeve, according to the embodiment;
FIG. 4 is a right side view of the bottle with resilient sleeve, according to the embodiment;
FIG. 5 is a left side view of the bottle with resilient sleeve, according to the embodiment;
FIG. 6 is a top view of the bottle with resilient sleeve, according to the embodiment; and,
FIG. 7 is a bottom view of the bottle with resilient sleeve, according to the embodiment.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7