



US00D672351S

(12) **United States Design Patent**
Camacho et al.

(10) **Patent No.:** **US D672,351 S**
(45) **Date of Patent:** **** Dec. 11, 2012**

(54) **ENCLOSURE FOR NETWORK INTERFACE CONTROLLER**

(75) Inventors: **Abraham Camacho**, West Hollywood, CA (US); **Oliver Duncan Seil**, Pasadena, CA (US); **Avery Holleman**, Long Beach, CA (US); **David A. Kleeman**, Marina del Rey, CA (US); **Walter Tam**, Rolling Hills Estates, CA (US); **Ernesto Victor Quinteros**, Los Angeles, CA (US); **Eric Ulvog**, Culver City, CA (US); **Yuji Ikeda**, Los Angeles, CA (US); **Kenneth Mori**, Los Angeles, CA (US); **Thorben Neu**, Los Angeles, CA (US); **Justin Jakobson**, Venice, CA (US); **Mitchell Suckle**, Long Beach, CA (US); **Steven Lane**, Orange, CA (US); **Dale Honda**, Torrance, CA (US); **Michael E. Wick**, Long Beach, CA (US)

(73) Assignee: **Belkin International Inc.**, Playa Vista, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/406,507**

(22) Filed: **Nov. 15, 2011**

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/435.1**

(58) **Field of Classification Search** D14/411,
D14/433, 435, 435.1, 436–438, 480.1–480.7,
D14/484.1, 137, 155, 203.1–203.8, 240;
D13/133, 146–147, 154; 710/300, 301; 439/131,
439/135–147; 361/679.31, 679.33, 679.4,
361/752; 711/100, 115

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D445,708 S * 7/2001 Huang et al. D14/435.1
D454,125 S * 3/2002 Stout et al. D14/230
6,394,813 B1 * 5/2002 Stout et al. 439/11
6,447,140 B1 * 9/2002 Lu 362/109

6,544,075 B1 * 4/2003 Liao 439/638
D529,878 S * 10/2006 Wang D14/125
D551,668 S * 9/2007 Newby et al. D14/433
D552,610 S * 10/2007 Newby et al. D14/433
D566,114 S * 4/2008 Chu D14/480.6
7,462,044 B1 * 12/2008 Regen et al. 439/131
D611,463 S * 3/2010 Kim D14/242
D617,782 S * 6/2010 Kim D14/242
D650,390 S * 12/2011 Aqqad et al. D14/480.6

OTHER PUBLICATIONS

Belkin N750 DB Wireless Dual-Band USB Adapter F9L1103, [online], [retrieved on Aug. 16, 2012]. Retrieved from the Internet <URL: http://www.belkin.com/IWCatProductPage.process?Product_Id=577759>.*

* cited by examiner

Primary Examiner — Karen E Kearney

(74) *Attorney, Agent, or Firm* — Bryan Cave LLP

(57) **CLAIM**

We claim the ornamental design for an enclosure for network interface controller, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, right side isometric view of the enclosure for network interface controller in an open position, according to a first embodiment;

FIG. 2 is a rear, bottom, left side isometric view of the enclosure for network interface controller in the open position, according to the first embodiment;

FIG. 3 is a top view of the enclosure for network interface controller in the open position, according to the first embodiment;

FIG. 4 is a bottom view of the enclosure for network interface controller in the open position, according to the first embodiment;

FIG. 5 is a front view of the enclosure for network interface controller in the open position, according to the first embodiment;

FIG. 6 is a rear view of the enclosure for network interface controller in the open position, according to the first embodiment;




FIG. 7 is a right side view of the enclosure for network interface controller in the open position, according to the first embodiment;

FIG. 8 is a left side view of the enclosure for network interface controller in the open position, according to the first embodiment;

FIG. 9 is a front, top, right side isometric view of the enclosure for network interface controller in a closed position, according to the first embodiment;

FIG. 10 is a rear, bottom, left side isometric view of the enclosure for network interface controller in the closed position, according to the first embodiment;

FIG. 11 is a top view of the enclosure for network interface controller in the closed position, according to the first embodiment;

FIG. 12 is a bottom view of the enclosure for network interface controller in the closed position, according to the first embodiment;

FIG. 13 is a front view of the enclosure for network interface controller in the closed position, according to the first embodiment;

FIG. 14 is a rear view of the enclosure for network interface controller in the closed position, according to the first embodiment;

FIG. 15 is a right side view of the enclosure for network interface controller in the closed position, according to the first embodiment; and,

FIG. 16 is a left side view of the enclosure for network interface controller in the closed position, according to the first embodiment.

Broken lines immediately adjacent to the claimed surfaces represent boundaries of the claimed design. All other broken lines depict unclaimed environment. The broken lines and unshaded surfaces bounded by broken lines form no part of the claimed design.

1 Claim, 9 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

FIG. 7





FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16