



US00D672548S

(12) **United States Design Patent**  
**Frith**

(10) **Patent No.:** **US D672,548 S**  
(45) **Date of Patent:** **\*\* Dec. 18, 2012**

(54) **DETACHABLE CARRYING CASE**

(76) Inventor: **Grace L. Frith**, Boynton Beach, FL  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/382,760**

(22) Filed: **Jan. 6, 2011**

(51) **LOC (9) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/219**

(58) **Field of Classification Search** ..... D3/219,  
D3/215, 218, 226, 228, 263, 265; 224/219,  
224/222, 267, 908-909, 312, 901-901.8;  
206/5, 316.1-316.2; 248/902

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,267,923 A \* 5/1981 Baratelli et al. .... 206/5  
(Continued)

*Primary Examiner* — Catheri Oliver-Garcia

(74) *Attorney, Agent, or Firm* — QuickPatents, Inc.; Kevin Prince

(57) **CLAIM**


I claim the ornamental design for a detachable carrying case, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a first embodiment of a detachable carrying case, showing the new design;  
FIG. 2 is a rear perspective view of a pouch portion thereof;

FIG. 3 is a front elevational view of FIG. 1;  
FIG. 4 is a front perspective view of an elastic band portion thereof;  
FIG. 5 is a rear elevational view of FIG. 1;  
FIG. 6 is an exploded left-side elevational view of FIG. 1;  
FIG. 7 is a right-side elevational view of FIG. 1;  
FIG. 8 is a top plan view of FIG. 1;  
FIG. 9 is a bottom plan view of FIG. 1;  
FIG. 10 is a front perspective view of a second embodiment thereof;  
FIG. 11 is a front elevational view of FIG. 10;  
FIG. 12 is a rear elevational view of FIG. 10;  
FIG. 13 is an exploded left-side elevational view of FIG. 10;  
FIG. 14 is a right-side elevational view of FIG. 10;  
FIG. 15 is a top plan view of FIG. 10;  
FIG. 16 is a bottom plan view of FIG. 10;  
FIG. 17 is a front perspective view of a third embodiment thereof;  
FIG. 18 is a front elevational view of FIG. 17;  
FIG. 19 is a rear elevational view of FIG. 17;  
FIG. 20 is an exploded left-side elevational view of FIG. 17;  
FIG. 21 is a right-side elevational view of FIG. 17;  
FIG. 22 is a top plan view of FIG. 17;  
FIG. 23 is a bottom plan view of FIG. 17; and,  
FIG. 24 is an exploded view thereof, showing a rear side of the pouch portion and a front side of the elastic band portion.  
The broken lines showing a book and reading glasses in FIGS. 1, 10, and 17 are included for the purpose of illustrating the invention in use as selectively attached to the book, and form no part of the claimed design.

**1 Claim, 15 Drawing Sheets**



# US D672,548 S

Page 2

---

## U.S. PATENT DOCUMENTS

D310,301 S *	9/1990	Burrow .....	D3/265	D477,908 S *	8/2003	Mear et al. ....	D3/227
D348,475 S *	7/1994	Kahari .....	D3/265	D561,465 S *	2/2008	Cundiff .....	D3/226
D366,758 S *	2/1996	Weiler .....	D3/219	D588,356 S *	3/2009	Lown et al. ....	D3/219

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9






FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23






FIG. 24