



US00D673237S

(12) **United States Design Patent**
Richey, Jr.

(10) **Patent No.:** **US D673,237 S**

(45) **Date of Patent:** **** Dec. 25, 2012**

(54) **RIFLE SHOOTING SUPPORT**

(75) Inventor: **Claude H. Richey, Jr.**, Houston, TX
(US)

(73) Assignee: **RRR & Associates, L.L.C.**, Houston,
TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/373,774**

(22) Filed: **May 20, 2011**

(51) **LOC (9) Cl.** **22-01**

(52) **U.S. Cl.** **D22/108**

(58) **Field of Classification Search** D22/100,
D22/108, 199; D8/1, 380, 381; 42/94; 89/37.04;
211/64, 13.1, 49.1, 60.1, 70.5, 86.01, 87.01,
211/88.01, 89.01, 181.1, 560; 248/121, 175,
248/156, 530, 200, 302, 304, 309.1, 310,
248/312; D6/329, 396, 417, 552, 553, 567;
D21/385, 662, 698

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,367,380	A *	2/1968	Dickey	383/104
3,621,597	A *	11/1971	Price	42/94
4,433,500	A	2/1984	Kunevicius	42/1 N
RE32,752	E	9/1988	Kiang	150/52
5,110,022	A	5/1992	Dvoroznak et al.	224/150
5,233,779	A *	8/1993	Shaw	42/94
5,332,185	A *	7/1994	Walker, III	248/346.2
5,669,168	A	9/1997	Perry	42/74
5,680,939	A *	10/1997	Oliver	211/64
5,722,713	A *	3/1998	Santa Cruz et al.	296/153
5,875,580	A *	3/1999	Hill et al.	42/94
5,964,435	A	10/1999	Peltier et al.	248/166
6,044,747	A *	4/2000	Felts	89/40.06
6,243,979	B1	6/2001	Seats et al.	43/94

6,795,990	B1 *	9/2004	Hutchinson	5/632
6,986,221	B2	1/2006	Mullis	42/74
7,340,857	B1 *	3/2008	Bentley	42/1.06
7,757,319	B2 *	7/2010	Kimball	5/632
7,866,081	B2 *	1/2011	Seuk	42/94
2007/0000163	A1	1/2007	Buckner	42/94

* cited by examiner

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Keith B. Willhelm

(57) **CLAIM**

I claim the ornamental design for a rifle shooting support, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view, taken generally from above, of a preferred embodiment of the novel design for rifle shooting supports;

FIG. 2 is a top view of the preferred embodiment of FIG. 1;

FIG. 3 is a bottom view of said preferred embodiment;

FIG. 4 is a view of one side of said preferred embodiment; to

FIG. 5 is a view of the other side of said preferred embodiment;


FIG. 6 is an elevation view of one end of said preferred embodiment;

FIG. 7 is an elevation view of the other end of said preferred embodiment; and,

FIG. 8 is a perspective view, taken generally from above and one end, of said preferred embodiment, wherein a rifle is shown in broken lines to illustrate the environment related to the claimed design and form no part of the claimed design.

Surface shading is used in the drawings to show contour in the design that otherwise might not be apparent in a particular figure.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8