



US00D673296S

(12) **United States Design Patent**
Fry et al.

(10) **Patent No.:** **US D673,296 S**
(45) **Date of Patent:** **** Dec. 25, 2012**

(54) **TUBE RELOAD DEVICE**

(75) Inventors: **Kenneth Charles Fry**, San Diego, CA (US); **Scott Edward Curry**, San Marcos, CA (US)

(73) Assignee: **Genesee Scientific Corporation**, San Diego, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/355,175**

(22) Filed: **Feb. 3, 2010**

Related U.S. Application Data

(63) Continuation-in-part of application No. 12/418,358, filed on Apr. 3, 2009, now Pat. No. 8,136,679.

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/227**

(58) **Field of Classification Search** D24/185, D24/216-232, 127-128; D6/406.1-406.3, D6/406.6; D3/203.1, 304; D19/92; D32/55; 206/363-370, 223, 563; 211/85.13, 126.14, 211/174; 260/438, 557, 560, 564; 422/58, 422/99, 102, 104, 297, 400, 560-564, 942, 422/509

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,120,610 A 6/1938 Howard
(Continued)

FOREIGN PATENT DOCUMENTS

JP 06-043172 2/1994
(Continued)

OTHER PUBLICATIONS

Office Action mailed on: Jun. 3, 2011 in U.S. Appl. No. 12/418,358, filed Apr. 3, 2009, published as: 2010/0192813 on Aug. 5, 2010.

(Continued)

Primary Examiner — T. Chase Nelson

Assistant Examiner — Mark Cavanna

(74) *Attorney, Agent, or Firm* — Grant Anderson LLP

(57) **CLAIM**

The ornamental design for an tube reload device, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a tray portion of a tube reload device shown separately for clarity of illustration showing my new design;

FIG. 2 is a side view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is an opposite side view thereof;

FIG. 5 is another side view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is the opposite of another side view thereof;

FIG. 8 is an isometric view of a plate portion of a tube reload device shown separately for clarity of illustration showing my new design;

FIG. 9 is a side view thereof;

FIG. 10 is a top view thereof;

FIG. 11 is an opposite side view thereof;

FIG. 12 is another side view thereof;

FIG. 13 is a bottom view thereof;

FIG. 14 is the opposite of another side thereof;

FIG. 15 is an isometric view of an assembled tube reload device, where the tubes are depicted to show a symbolic break in the length of the tube elements;

FIG. 16 is a top view of an assembled tube reload device;

FIG. 17 is a bottom view of an assembled tube reload device;

FIG. 18 is a side view of an assembled tube reload device where the tubes are depicted to show a symbolic break in the length of the tube elements;


FIG. 19 is an isometric view of a second embodiment of an assembled tube reload device in which the tube elements do not include a symbolic break in their length; and,

FIG. 20 is a side view thereof.

The broken lines are included for the purpose of illustrating portions of the tube reload device that forms no part of the claimed design.

The first embodiment of the tube reload device is shown with symbolic breaks in the length of the rod portions. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 12 Drawing Sheets



US D673,296 S

Page 2

U.S. PATENT DOCUMENTS

3,853,217 A * 12/1974 Scordato et al. 206/223
4,142,633 A * 3/1979 Raghavachari et al. 206/366
4,154,795 A 5/1979 Thorne
D264,810 S * 6/1982 Voltmann D3/203.3
D271,239 S * 11/1983 Lemieux et al. D24/230
D276,071 S * 10/1984 Malinoff D24/226
D283,162 S * 3/1986 Godsey D24/226
4,773,554 A 9/1988 Warwick
D302,207 S * 7/1989 Matkovich D24/226
5,048,957 A * 9/1991 Berthold et al. 422/942
5,071,026 A 12/1991 Apps
D337,165 S * 7/1993 Malinoff D24/222
D349,773 S * 8/1994 Malin et al. D24/216
5,501,352 A 3/1996 Apps
5,673,792 A 10/1997 Aikio
D414,271 S * 9/1999 Mendoza D24/224
5,950,832 A 9/1999 Perlman
5,988,394 A 11/1999 Emoto et al.
6,019,225 A * 2/2000 Kalmakis et al. 206/563
6,021,913 A 2/2000 McGrath
D441,091 S * 4/2001 Day D24/224
D464,734 S * 10/2002 Berna et al. D24/216
6,568,544 B1 5/2003 Lanfond et al.
D477,416 S * 7/2003 Roberts et al. D24/216
6,640,981 B2 * 11/2003 Lafond et al. 211/74
6,660,232 B1 12/2003 Krueger et al.
6,752,967 B2 * 6/2004 Farina et al. 422/552
D492,792 S * 7/2004 Kokaisel et al. D24/226
6,759,012 B2 * 7/2004 Haslam et al. 422/509
6,875,405 B1 * 4/2005 Mathus et al. 422/562
D529,622 S * 10/2006 Hadjis et al. D24/229
D533,948 S * 12/2006 Schaub et al. D24/229
7,232,038 B2 6/2007 Whitney
D562,463 S * 2/2008 Berndt et al. D24/226

D574,505 S * 8/2008 Muller-Cohn et al. D24/216
D574,506 S * 8/2008 Monks D24/224
D598,127 S * 8/2009 Lea D24/227
D608,013 S * 1/2010 Coulling et al. D24/224
D610,265 S * 2/2010 Lea D24/227
D620,605 S * 7/2010 Reitze D24/227
7,820,115 B2 * 10/2010 Zatechka et al. 422/400
D632,803 S * 2/2011 Motadel et al. D24/229
7,892,504 B2 * 2/2011 Taike et al. 422/562
D638,953 S * 5/2011 Cavada et al. D24/226
D645,156 S * 9/2011 Reitze D24/227
2002/0011195 A1 1/2002 Apps
2002/0148837 A1 10/2002 Apps
2005/0013734 A1 1/2005 Vann et al.
2005/0158212 A1 7/2005 Yavilevich
2005/0278951 A1 12/2005 Parret et al.
2009/0065458 A1 3/2009 Murray
2009/0242568 A1 10/2009 Apps
2010/0192813 A1 8/2010 Fry
2010/0294734 A1 11/2010 Taike et al.
2011/0031147 A1 2/2011 Eugui

FOREIGN PATENT DOCUMENTS

WO WO 2010/091125 8/2010

OTHER PUBLICATIONS

Office Action mailed on: Nov. 10, 2011 in U.S. Appl. No. 12/418,358,
filed Apr. 3, 2009, published as: 2010/0192813 on Aug. 5, 2010.
International Search Report and Written Opinion mailed on Nov. 15,
2010 in International Patent Application PCT/US2010/023109 filed
on Feb. 3, 2010.

* cited by examiner




FIG. 1

FIG. 4




FIG. 3




FIG. 2




FIG. 5




FIG. 6





FIG. 7






FIG. 8

FIG. 11




FIG. 10




FIG. 9




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20

