



US00D673442S

(12) **United States Design Patent**
Misner

(10) **Patent No.:** **US D673,442 S**
(45) **Date of Patent:** **** Jan. 1, 2013**

- (54) **BREAKABLE SEAL FOR USE ON COMBINATION CONTROLLED LOCKS**
- (75) Inventor: **Michael O. Misner**, Lake Villa, IL (US)
- (73) Assignee: **The Eastern Company**, Wheeling, IL (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/395,089**
- (22) Filed: **Nov. 21, 2011**

2,677,952 A	5/1954	Stue	70/68
3,128,114 A	4/1964	Nierhaus	292/320
3,138,842 A	6/1964	Arthur	24/205.11
3,146,012 A	8/1964	King, Sr.	292/320
3,149,869 A	9/1964	Chamberlain	292/320
3,265,426 A	8/1966	Brooks et al.	292/307
3,326,589 A	6/1967	Wenk, Jr.	292/307
3,367,701 A	2/1968	Wenk, Jr.	292/321
3,375,033 A	3/1968	Moberg	292/320
3,467,427 A	9/1969	Moberg	292/322
3,485,521 A	12/1969	Moberg	292/320
3,556,575 A	1/1971	Farkas	292/307
3,954,294 A	5/1976	Iwamoto et al.	292/318
3,955,842 A	5/1976	Edwards	292/307
3,967,350 A	7/1976	Kawashima	24/205.14
3,980,332 A	9/1976	King, Sr.	292/320

(Continued)

Related U.S. Application Data

- (63) Continuation-in-part of application No. 29/395,039, filed on Nov. 15, 2011.
 - (51) **LOC (9) Cl.** **08-07**
 - (52) **U.S. Cl.** **D8/330**
 - (58) **Field of Classification Search** 70/14, 20, 70/38 A, 38 B, 38 C, 51, 52, 57, 57.1, 262, 70/431, 465, 466; 292/1, 261, 288, 290, 292/281, 300, 305, 256
- See application file for complete search history.

Primary Examiner — Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm* — David A. Burge

(57) **CLAIM**

I claim the ornamental design for a breakable seal for use on combination controlled locks, substantially as shown and described:

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a breakable seal for use on combination controlled locks showing my new design;

FIG. 2 is a bottom, rear and left side perspective view thereof; FIG. 3 is a right side elevational view thereof, the left side elevational view being a mirror image thereof; FIG. 4 is a front elevational view thereof; and, FIG. 5 is a rear elevational view thereof.


The broken lines environment is for illustrative purpose only and forms no part of the claimed design. References used herein as front, rear, left, right, top and bottom of the claimed design are not meant for any particular in-use orientation and may be changed for different orientation of the insert as chosen by the user.

1 Claim, 1 Drawing Sheet

(56) **References Cited**

U.S. PATENT DOCUMENTS

367,877 A	8/1887	Whalen et al.	292/320
777,749 A	12/1904	Russell	292/307
932,159 A	8/1909	Miller	
1,030,458 A	6/1912	Brooks	
1,048,837 A	12/1912	Jessup	
1,097,913 A	5/1914	Campbell	
1,132,970 A	3/1915	Peyton	
1,626,273 A	4/1927	Dietze	
1,964,014 A	6/1934	Wenk	292/320
1,964,897 A	7/1934	Wenk	292/320
1,976,089 A	10/1934	Peake	292/328
1,987,351 A	1/1935	Rose	292/328
2,013,299 A	9/1935	Byrne	292/307
2,020,198 A	11/1935	Miller	292/328
2,645,514 A	7/1953	Mitchko	292/307



US D673,442 S

Page 2

U.S. PATENT DOCUMENTS

4,008,914 A	2/1977	Anderson	292/307	4,995,656 A	2/1991	Akashi	292/307
4,062,090 A	12/1977	Moolenaars	24/205.11	5,116,091 A *	5/1992	Swift	292/318
4,082,336 A	4/1978	Natkins	292/318	5,118,148 A *	6/1992	De Lima Castro	
4,118,057 A *	10/1978	Ryan	292/307 R			Netto	292/307 R
4,229,031 A	10/1980	Guiler	292/322	5,427,423 A	6/1995	Georgopoulos	292/320
4,254,977 A *	3/1981	Guiler	292/320	D364,551 S *	11/1995	Christenson et al.	D8/334
4,353,583 A	10/1982	Moberg	292/320	5,568,951 A	10/1996	Morgan	292/307
4,661,990 A	4/1987	Rifkin	383/97	5,762,386 A	6/1998	Fuehrer	292/307
4,697,833 A *	10/1987	Swift	292/318	D439,825 S *	4/2001	Lai	D8/334
4,733,893 A *	3/1988	Davis et al.	292/320	6,533,335 B2	3/2003	Hudson	292/307
4,836,590 A *	6/1989	Swift	292/320	D489,597 S *	5/2004	Fulcher et al.	D8/341
4,887,855 A	12/1989	Tritton et al.	292/307	7,118,144 B2 *	10/2006	Anderson	292/307 R

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4



FIG. 5