



US00D673481S

(12) **United States Design Patent**  
**Kim**

(10) **Patent No.:** **US D673,481 S**

(45) **Date of Patent:** **\*\* Jan. 1, 2013**

(54) **TAG AND BUTTON COMBINATION**

(75) Inventor: **Cin Kim**, Alpine, NJ (US)

(73) Assignee: **Peacock Apparel Group, Inc.**, New York, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/339,364**

(22) Filed: **Jun. 29, 2009**

(51) **LOC (9) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D11/222; D11/228**

(58) **Field of Classification Search** ..... D11/200–206,  
D11/212–214, 222–231, 238–241, 220, 218;  
24/41.1, 66.5, 40–48, 305, 356, 705, 101 R,  
24/94–95, 103, 104, 598.1, 106; 63/12, 15,  
63/18, 20–21, 35, 37–38; D8/356, 362; 362/103;  
D2/640, 999, 853, 728; 2/265, 912, 46, 243.1;  
D20/28; 40/315; D19/39–40; D6/407, 632;  
D9/434; D24/145

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,235,575	A	8/1917	Kliesrath	
2,084,745	A *	6/1937	Reynolds	2/265
3,680,179	A *	8/1972	Saari	24/106
4,918,791	A	4/1990	Hardin	
5,044,012	A *	9/1991	Antonio	2/46
5,621,951	A	4/1997	Gould	
D414,016	S *	9/1999	Berglund	D2/853
D441,317	S *	5/2001	Nire	D11/220
D449,338	S *	10/2001	Lariviere et al.	D19/39
6,550,109	B2	4/2003	Sims	
D474,997	S *	5/2003	Berzack	D11/222

D475,322	S *	6/2003	Ouellette et al.	D11/222
D481,330	S *	10/2003	Fildan et al.	D11/218
D485,697	S *	1/2004	Huang	D6/407
D500,808	S *	1/2005	Howard	D20/28
D589,396	S *	3/2009	Kim	D11/228
D626,231	S *	10/2010	Perchik	D24/145
D656,012	S *	3/2012	Leu et al.	D9/434
2008/0092419	A1 *	4/2008	Muramoto	40/315

\* cited by examiner

*Primary Examiner* — T. Chase Nelson

*Assistant Examiner* — Mark Cavanna

(74) *Attorney, Agent, or Firm* — Leason Ellis LLP

(57) **CLAIM**

The ornamental design for a tag and button combination, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a tag and button combination showing my new design showing the tag in an engaged state with respect to the button;

FIG. 2 is a top and side perspective view thereof showing the tag exploded from the button ready for insertion thereon;


FIG. 3 is a top plan view of the tag removed from the button, the rear view being a mirror image thereof;

FIG. 4 is a top and side perspective view of the tag removed from the button; and,

FIG. 5 is a side elevation view thereof.

The broken lines of FIGS. 1-5 are for illustrative purposes only to show an exemplary environment of the button and an exemplary peripheral border of the tag and an indicia area on the tag and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5