



US00D673645S

(12) **United States Design Patent**
Delorme

(10) **Patent No.:** **US D673,645 S**
(45) **Date of Patent:** **** Jan. 1, 2013**

- (54) **PUMP AND TANK ASSEMBLY FOR A HAND-OPERATED SPRAYER**
- (75) Inventor: **John D. Delorme**, Spencerport, NY (US)
- (73) Assignee: **Chapin Manufacturing, Inc.**, Batavia, NY (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/416,758**
- (22) Filed: **Mar. 27, 2012**
- (51) **LOC (9) Cl.** **23-01**
- (52) **U.S. Cl.** **D23/202; D23/225**
- (58) **Field of Classification Search** D23/202, D23/225; 239/302, 308, 332, 333, 337, DIG. 14; 222/465.1, 383.1, 383.3
See application file for complete search history.

- D464,874 S 10/2002 Tune et al.
- D466,402 S 12/2002 Cummings et al.
- D477,783 S 7/2003 Gilmore et al.
- D490,140 S 5/2004 Byron
- D490,299 S 5/2004 Byron
- 6,953,133 B2 10/2005 Enghard et al.
- 7,032,841 B1 4/2006 Swisher
- D529,577 S 10/2006 McGiveron
- D529,806 S 10/2006 Cummings
- 7,118,050 B1 10/2006 Chen
- 7,237,729 B2 7/2007 Chen
- D557,140 S 12/2007 Voight et al.
- D564,068 S 3/2008 Campbell
- 7,347,386 B2 3/2008 Chen
- D570,447 S 6/2008 Hillhouse
- D581,805 S 12/2008 Suxdorf
- D582,512 S 12/2008 Fontaine

(Continued)

OTHER PUBLICATIONS

29/395,282.*

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D190,773 S 6/1961 Koch
- D285,475 S 9/1986 Born
- D295,659 S 5/1988 Born
- D295,886 S 5/1988 Dolton et al.
- D296,813 S 7/1988 Ellison
- D311,240 S 10/1990 Born
- D327,528 S 6/1992 Sears et al.
- D328,422 S 8/1992 Fuchs et al.
- D334,705 S 4/1993 Pereira et al.
- D336,845 S 6/1993 Carroll et al.
- D343,577 S 1/1994 Proctor
- D347,788 S 6/1994 Steijns et al.
- D356,036 S 3/1995 Hoyt
- D366,926 S 2/1996 McGinnity et al.
- D386,572 S 11/1997 Radtke et al.
- D391,626 S 3/1998 Spriegel
- D398,223 S 9/1998 Bertolini et al.
- D406,313 S 3/1999 Prosper et al.
- D423,641 S 4/2000 Spriegel
- D431,279 S 9/2000 Spriegel
- D433,624 S 11/2000 Negre

Primary Examiner — Robin V Webster

(74) *Attorney, Agent, or Firm* — Kenneth J. Lukacher; Martin Lukacher

(57) **CLAIM**

The ornamental design for a pump and tank and assembly for a hand-operated sprayer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from the right side of a pump and tank assembly for a hand-operated sprayer showing my design;


FIG. 2 is a front view thereof;

FIG. 3 is a right side view thereof, the left side view being the same;

FIG. 4 is a top view thereof; and,

FIG. 5 is a bottom view thereof.

1 Claim, 5 Drawing Sheets



US D673,645 S

Page 2

U.S. PATENT DOCUMENTS

D590,043 S 4/2009 Campbell
D591,387 S 4/2009 Campbell
D602,117 S 10/2009 Fontaine
D604,385 S 11/2009 Fontaine
D604,386 S 11/2009 Campbell
D614,263 S 4/2010 Hudson et al.
D618,300 S 6/2010 Hudson et al.
D633,984 S * 3/2011 Plantz D23/225
D643,905 S 8/2011 Delorme
D647,999 S * 11/2011 Hudson et al. D23/225
D652,111 S 1/2012 Delorme

D653,305 S 1/2012 Hudson et al.
2007/0114302 A1 5/2007 Wu
2007/0278326 A1 12/2007 Wu

OTHER PUBLICATIONS

U.S. Trademark Registration No. 2,587,356, Registered Jul. 2, 2002;
The mark consists of the Configuration of a Hand-Operated Portable
Sprayer, Highlighted by Decorative "ribs" on the Front and Right
Sides Thereof.
Spectracide, Weed & Grass Killer, Tank and Cap, 2010.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5