



US00D673755S

(12) **United States Design Patent**
Takada

(10) **Patent No.:** **US D673,755 S**

(45) **Date of Patent:** **** Jan. 1, 2013**

(54) **COIN BANK**

(75) Inventor: **Eiichi Takada**, Tokyo (JP)

(73) Assignee: **Banpresto Co., Ltd**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/339,901**

(22) Filed: **Jul. 9, 2009**

(30) **Foreign Application Priority Data**

Jan. 16, 2009 (JP) 2009-743

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.** **D99/39**

(58) **Field of Classification Search** D99/28,
D99/34, 35, 36, 37, 38, 39, 99; 206/0.8,
206/0.81, 0.815, 0.82, 0.83, 0.84; 232/1 R,
232/1 D, 4 R, 55, 64, 65, 66; 446/8, 9, 10-13;
109/1 R, 1 V, 2, 58, 64, 78, 79

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D10,907 S *	11/1878	Seligsberg	D99/39
D12,316 S *	6/1881	Parmelee	D99/39
D15,085 S *	6/1884	Shepard	D99/39
D32,972 S *	7/1900	Schloebb	D99/39
D35,306 S *	11/1901	Williams	D99/39
D35,374 S *	12/1901	Williams	D99/39
D36,880 S *	4/1904	Williams	D99/39
1,147,978 A *	7/1915	Schmitt	446/9
D60,739 S *	3/1922	Shirley	D99/35
D82,352 S *	10/1930	Skolinik	D99/39
D96,304 S *	7/1935	Farber	D99/35
D155,798 S *	11/1949	Gaulke	D99/36
D177,367 S *	4/1956	Daniels	D99/39

D179,765 S *	2/1957	Dontigney	D99/39
D190,242 S *	5/1961	Inswiller	D99/39
D193,793 S *	10/1962	Florence	D99/39
D197,786 S *	3/1964	Pierce	D99/35
D222,625 S *	11/1971	Cohn	D99/39
D222,626 S *	11/1971	Cohn	D99/39
D222,627 S *	11/1971	Cohn	D99/39
D250,285 S *	11/1978	Tremonti	D99/39
D260,912 S *	9/1981	Appel et al.	D21/519
D289,219 S *	4/1987	Tveras et al.	D99/39
D293,959 S *	1/1988	Allen	D99/39
D303,726 S *	9/1989	Mikkelsen	D99/37
D325,456 S *	4/1992	Scaife	D99/28
D356,424 S *	3/1995	August	D99/37
D407,184 S *	3/1999	Endelson	D99/37
D455,887 S *	4/2002	Yu	D99/37
D570,132 S *	6/2008	Evans et al.	D6/432
D623,825 S *	9/2010	Hacker	D99/34

* cited by examiner

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Smith Patent Office

(57) **CLAIM**

I claim the ornamental design for a coin bank, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a coin bank showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right side view thereof;



FIG. 5 is a left side view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

In the drawings, the portions of the coin bank shown in broken lines in FIGS. 1-3, 6 and 7 form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7