



US00D673920S

(12) **United States Design Patent**
Aalders et al.

(10) **Patent No.:** **US D673,920 S**
(45) **Date of Patent:** **** Jan. 8, 2013**

(54) **SLEEVE FOR BREAK FUSE**
(75) Inventors: **Arnold Aalders**, Waalwijk (NL); **Joshua Hanson**, Boston, MA (US)
(73) Assignee: **Koninklijke Philips Electronics N.V.**, Eindhoven (NL)

4,278,961 A * 7/1981 Schroeder et al. 338/21
4,972,170 A * 11/1990 Ehlmann et al. 337/228
D405,057 S * 2/1999 Martin et al. D13/154
D407,377 S * 3/1999 Landerholm et al. D13/154
D460,946 S * 7/2002 Montena D13/154
D505,390 S * 5/2005 Lee et al. D13/133

* cited by examiner

(**) Term: **14 Years**

Primary Examiner — Thomas Johannes

(21) Appl. No.: **29/406,669**

(22) Filed: **Nov. 17, 2011**

(57) **CLAIM**

The ornamental design for a sleeve for break fuse, as shown and described.

(30) **Foreign Application Priority Data**

May 23, 2011 (EM) 001867268-0002

DESCRIPTION

(51) **LOC (9) Cl.** **13-03**
(52) **U.S. Cl.** **D13/178; D13/161**
(58) **Field of Classification Search** D13/154,
D13/159–161, 173, 178; 439/687; 438/18;
337/163, 171, 198, 206, 229, 230, 242, 243,
337/248, 264, 265; 338/21
See application file for complete search history.


FIG. 1 is a perspective view showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken line portion of the figure drawings is included to show unclaimed subject matter only and forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,864,656 A * 2/1975 Labelle 337/206
4,023,134 A * 5/1977 Swain 337/293

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7