



US00D674021S

(12) **United States Design Patent**
Luberto

(10) **Patent No.:** **US D674,021 S**
(45) **Date of Patent:** **** *Jan. 8, 2013**

(54) **VEHICLE-AFFIXABLE DRIVER LEVEL INDICATOR**

D268,120 S 3/1983 Kleiner
4,479,319 A * 10/1984 Erlich 40/595
D293,692 S 1/1988 Ippati-Dingli

(Continued)

(76) Inventor: **Daniel A. Luberto**, Revere, MA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/376,069**

(22) Filed: **Oct. 1, 2010**

(51) **LOC (9) Cl.** **19-08**

(52) **U.S. Cl.** **D20/11**

(58) **Field of Classification Search** D20/10,
D20/11, 13, 17, 19, 22-28, 40, 99; 40/1.5,
40/5, 124.01, 200, 299.01, 312, 360, 446,
40/538, 541, 584, 588, 591, 594, 595, 600,
40/638; D19/1, 9-11; 283/51, 71, 81, 97;
428/29, 40.1, 41.6, 42.1-42.3, 914
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

167,045	A *	8/1875	Wilkerson	40/638
RE9,223	E	6/1880	Tuchfarbber		
1,364,906	A	1/1921	Waller		
D88,161	S *	11/1932	Louis	D20/40
1,982,282	A	11/1934	Bock		
2,129,362	A	9/1938	Simons et al.		
2,129,364	A *	9/1938	Simons et al.	283/97
2,190,210	A *	2/1940	Kaber	428/41.6
D123,663	S	11/1940	Bristol		
D133,133	S	7/1942	Ross		
2,324,885	A	7/1943	Sherrill		
2,859,051	A	11/1958	Simpson		
3,419,985	A	1/1969	Berrier		
3,670,438	A *	6/1972	Carroll et al.	40/600
3,950,098	A	4/1976	Caine		

OTHER PUBLICATIONS

MagnetMom, OLX webpage, "Caution New Driver Magnet", <http://lawrenceville-georgia.olx.com/caution-new-driver-magnet-iid-41709302>, Jun. 24, 2011, 3 pgs.

Primary Examiner — Mary Ann Calabrese

(74) *Attorney, Agent, or Firm* — Onello & Mello, LLP

(57) **CLAIM**

An ornamental design for a vehicle-affixable driver level indicator, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a first embodiment of a vehicle-affixable driver level indicator, in accordance with the present invention;

FIG. 2 is a front view of a second embodiment of a vehicle-affixable driver level indicator, in accordance with the present invention;

FIG. 3 is an elevation view of the vehicle-affixable driver level indicator of FIG. 1 attached to a rear window of an automobile;

FIG. 4 is an elevation view of the vehicle-affixable driver level indicator of FIG. 1 attached to a rear bumper of an automobile;

FIG. 5 is a top/bottom view of a vehicle-affixable driver level indicator, in accordance with any of the above embodiments of the present invention; and,

FIG. 6 is a side view of a vehicle-affixable driver level indicator, in accordance with any of the above embodiments of the present invention.

In the drawings, the broken lines illustrate environment and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D674,021 S

Page 2

U.S. PATENT DOCUMENTS

D293,693 S	1/1988	Ippati-Dingli	
D382,018 S	8/1997	Washington	
D394,459 S	5/1998	Horner	
D399,260 S *	10/1998	Thimote D20/17
D412,184 S	7/1999	Garrett	
D432,173 S *	10/2000	Baker D20/17
6,149,204 A	11/2000	Casper	
6,385,883 B1	5/2002	Votolato	
D471,239 S *	3/2003	Schaller D20/10
D522,065 S	5/2006	Greenstein	
D542,854 S	5/2007	Rost	
D595,779 S	7/2009	Sauter	
D601,635 S	10/2009	Spengler	
7,937,866 B1 *	5/2011	Brown 40/591
2002/0110659 A1	8/2002	Woods	
2004/0035033 A1 *	2/2004	Craig et al. 40/591
2004/0111941 A1	6/2004	Spear et al.	
2006/0088683 A1 *	4/2006	Wilson 428/40.1
2006/0143955 A1 *	7/2006	Boyd 40/299.01
2007/0126226 A1	6/2007	Kolodzie et al.	
2008/0317979 A1 *	12/2008	Itakura et al. 428/29
2011/0314710 A1 *	12/2011	Luberto 40/200

* cited by examiner



FIG. 1



FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6