



US00D674082S

(12) **United States Design Patent**  
**Efinger et al.**

(10) **Patent No.:** **US D674,082 S**  
(45) **Date of Patent:** **\*\* Jan. 8, 2013**

(54) **SUCTION/IRRIGATION HANDLE**  
(75) Inventors: **Andreas Efinger**, Rietheim (DE); **Kevin Pilz**, Tuttlingen (DE); **Mathias Stengele**, Steisslingen (DE)

(73) Assignee: **Karl Storz GmbH & Co. KG** (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/416,270**

(22) Filed: **Mar. 20, 2012**

(30) **Foreign Application Priority Data**

Sep. 20, 2011 (ER) ..... 001920232-0011

(51) **LOC (9) Cl.** ..... **24-01**

(52) **U.S. Cl.** ..... **D24/108**

(58) **Field of Classification Search** ..... D24/108,  
D24/111, 112, 113, 129, 130, 133, 146, 147;  
600/367, 566, 567, 573; 604/22, 30, 33,  
604/35, 36, 65, 902; 606/27, 67, 80, 169,  
606/170, 171, 172, 174, 180; D28/50, 58

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D418,223	S *	12/1999	Phipps et al.	.....	D24/133
6,193,714	B1 *	2/2001	McGaffigan et al.	.....	606/41
D467,334	S *	12/2002	Homma	.....	D24/108
6,500,169	B1 *	12/2002	Deng	.....	606/1
6,611,793	B1 *	8/2003	Burnside et al.	.....	702/183
6,991,621	B2 *	1/2006	Bacher et al.	.....	604/247

D598,543	S *	8/2009	Vogel et al.	.....	D24/133
D628,289	S *	11/2010	Romero	.....	D24/133
D659,828	S *	5/2012	Horning et al.	.....	D24/146
2004/0098006	A1 *	5/2004	Nakanishi	.....	606/170
2008/0021489	A1 *	1/2008	Adams et al.	.....	606/180
2009/0287236	A1 *	11/2009	Bakos et al.	.....	606/180
2010/0274227	A1 *	10/2010	Khairkahan et al.	.....	604/533

**FOREIGN PATENT DOCUMENTS**

WO WO 2005096965 A1 \* 10/2005

\* cited by examiner

*Primary Examiner* — Ian Simmons

*Assistant Examiner* — Shannon Weekley

(74) *Attorney, Agent, or Firm* — St. Onge Steward Johnston & Reens LLC


(57) **CLAIM**

The ornamental design for a suction/irrigation handle, as shown and described.

**DESCRIPTION**

FIG. 1 is a top left side isometric view of a suction/irrigation handle in accordance with the new design;  
 FIG. 2 is a left side elevation view thereof, a right side elevation view being a mirror image thereof;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a bottom plan view thereof;  
 FIG. 5 is a front elevation view thereof; and,  
 FIG. 6 is a rear elevation view thereof.  
 The broken lines immediately adjacent to the shaded areas in FIGS. 3, 5, and 6 represent the bounds of the claimed design, with the lines themselves and the areas within them forming no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1







FIG. 2




*FIG. 3*



*FIG. 4*



*FIG. 5*



**FIG. 6**



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D674,082 S  
APPLICATION NO. : 29/416270  
DATED : January 8, 2013  
INVENTOR(S) : Andreas Efinger et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, Item (30) should read

--(30) Foreign Application Priority Data

September 20, 2011 (EM).....001920232-0011--.

Signed and Sealed this  
Ninth Day of April, 2013



Teresa Stanek Rea  
*Acting Director of the United States Patent and Trademark Office*